

# 1302W // SPLIT STAR 2

PPE risk category II



Durable  
Robust  
Good grip

SL

## 1302W // SPLIT STAR 2



|                 |                                                  |
|-----------------|--------------------------------------------------|
| Material:       | Cotton, natural colour   Cow split leather, grey |
| Coating:        | -                                                |
| Size(s):        | 10                                               |
| Packaging unit: | 120 pair(s)                                      |
| Certification:  | EN 388                                           |

NITRAS SPLIT STAR 2, cow split leather gloves, cotton drill back, natural colour, cow split leather, grey (colour code: 1612), palm lining, canvas cuff, double-stitched seams, thickness approx. 1.2 mm, durable, robust, good grip, PPE risk category II



EN ISO 21420

SL

### Industries

-  Craft
-  Building / Construction
-  Automotive manufacturing
-  Commissioning / shipping
-  Landscape gardening

### Advantages

- + Durable
- + Robust
- + Good grip



## Performance values

| EN ISO 21420:2020                                                                          | Test parameter                    | Performance levels | Test result |
|--------------------------------------------------------------------------------------------|-----------------------------------|--------------------|-------------|
|                                                                                            | Dexterity                         | 1-5                | 5           |
| EN 388:2016 + A1:2018                                                                      | Test parameter                    | Performance levels | Test result |
| <br>3133X | Abrasion resistance               | 1-4                | 3           |
|                                                                                            | Blade cut resistance (Coupe test) | 1-5                | 1           |
|                                                                                            | Tear resistance                   | 1-4                | 3           |
|                                                                                            | Puncture resistance               | 1-4                | 3           |
|                                                                                            | Blade cut resistance (TDM)        | A-F                | X           |

## Additional information

|                        | Material          | Colour         |
|------------------------|-------------------|----------------|
| Palm                   | Cow split leather | grey           |
| Index finger and thumb | Cow split leather | grey           |
| Back of the hand       | Cotton            | natural colour |
| Fingertips             | Cow split leather | grey           |
| Cuff / knitted wrist   | Cotton            | natural colour |

## Logistics data

| Size | GTIN (SPU)    | GTIN (PU)     | Length (m) | Width (m) | Height (m) | Weight (kg) | Quantity PU /<br>pallet |
|------|---------------|---------------|------------|-----------|------------|-------------|-------------------------|
| 10   | 4059904107519 | 4059904107526 | 0,71 m     | 0,46 m    | 0,28 m     | 20,68 kg    | 15                      |

Customs tariff number: 42032910000

Country of origin: India