

# 1403K // ARES CUT E

Leather gloves  
PPE risk category II



Thumb and index finger fully lined  
Double-stitched Kevlar seams  
Large style



GL

KATA



## 1403K // ARES CUT E



|                        |                                                  |
|------------------------|--------------------------------------------------|
| <b>Material:</b>       | Cotton, natural colour   Cow grain leather, grey |
| <b>Coating:</b>        | -                                                |
| <b>Size(s):</b>        | 8-12                                             |
| <b>Packaging unit:</b> | 60 pair(s)                                       |
| <b>Certification:</b>  | EN 388, EN 407                                   |

NITRAS ARES CUT E, cut protection gloves, cotton back, natural colour, cow grain leather, grey (colour code: 1612), palm lined with special yarn KATA 5, thumb and index finger fully lined, canvas cuff, double-stitched Kevlar seams, leather selection A, high cut resistance, protection against contact heat (100° C, 15 seconds), highest wearing comfort, large style, perfect fit, premium quality, particularly supple and resistant, PPE risk category II



EN ISO 21420



### Industries

-  Craft
-  Building / Construction
-  Automotive manufacturing
-  Commissioning / shipping
-  Wood processing
-  Waste management

### Advantages

- + Thumb and index finger fully lined
- + Double-stitched Kevlar seams
- + Large style



## Performance values

| EN 388:2016 + A1:2018                                                                       | Test parameter                                 | Performance levels | Test result |
|---------------------------------------------------------------------------------------------|------------------------------------------------|--------------------|-------------|
| <br>2X32E  | Abrasion resistance                            | 1-4                | 2           |
|                                                                                             | Blade cut resistance (Coupe test)              | 1-5                | X           |
|                                                                                             | Tear resistance                                | 1-4                | 3           |
|                                                                                             | Puncture resistance                            | 1-4                | 2           |
|                                                                                             | Blade cut resistance (TDM)                     | A-F                | E           |
| EN 407:2020                                                                                 | Test parameter                                 | Performance levels | Test result |
| <br>X1XXXX | Resistance to flammability                     | 1-4                | X           |
|                                                                                             | Contact heat resistance                        | 1-4                | 1           |
|                                                                                             | Convective heat resistance                     | 1-4                | X           |
|                                                                                             | Radiant heat resistance                        | 1-4                | X           |
|                                                                                             | Resistance to small splashes of molten metal   | 1-4                | X           |
|                                                                                             | Resistance to large quantities of molten metal | 1-4                | X           |
| EN ISO 21420:2020                                                                           | Test parameter                                 | Performance levels | Test result |
|                                                                                             | Dexterity                                      | 1-5                | 5           |

## Additional information

|                        | Material                   | Colour                |
|------------------------|----------------------------|-----------------------|
| Palm                   | Cow grain leather          | grey                  |
| Index finger and thumb | Cow grain leather          | grey                  |
| Back of the hand       | Cotton / cow grain leather | natural colour / grey |
| Fingertips             | Cow grain leather          | grey                  |
| Cuff / knitted wrist   | Canvas                     | natural colour        |

## Logistics data

| Size | GTIN (SPU)    | GTIN (PU)     | Length (m) | Width (m) | Height (m) | Weight (kg) | Quantity PU /<br>pallet |
|------|---------------|---------------|------------|-----------|------------|-------------|-------------------------|
| 8    | 4059904041479 | 4059904010062 | 0,51 m     | 0,3 m     | 0,32 m     | 10,2 kg     | 18                      |
| 9    | 4059904041486 | 4059904010079 | 0,49 m     | 0,31 m    | 0,33 m     | 11,19 kg    | 24                      |
| 10   | 4059904041493 | 4059904010086 | 0,47 m     | 0,32 m    | 0,34 m     | 10,99 kg    | 26                      |
| 11   | 4059904041509 | 4059904010093 | 0,5 m      | 0,31 m    | 0,34 m     | 12,54 kg    | 24                      |
| 12   | 4059904041516 | 4059904010109 | 0,48 m     | 0,35 m    | 0,31 m     | 12,99 kg    | 0                       |

Customs tariff number: 42032910000

Country of origin: India