NITRAS SAFETY

// ENSURE**SAFETY**

160235

PPE risk category II



High mechanical resistance
Resistant to light and ageing
High abrasion resistance

PVC

VERSION 1.1.16 | 261020

160235

Material:	Cotton interlock, natural colour
Coating:	PVC, red
Size(s):	10
Packaging unit:	120 pair(s)
Certification:	EN 388

NITRAS PVC gloves, cotton interlock, natural colour, PVC, red (colour code: 6000), fully coated, length 35 cm, high mechanical resistance, resistant to light and ageing, high abrasion resistance, PPE risk category II

EN 388

4121X

EN ISO 21420

PVC

Industries

- Building / Construction
- Cleaning / Facility management
- Landscape gardening

Advantages

- \+ High mechanical resistance
- \+ Resistant to light and ageing
- \+ High abrasion resistance



Performance values

EN ISO 21420:2020	Test parameter	Performance levels	Test result
	Dexterity	1-5	5

EN 388:2016 + A1:2018	Test parameter	Performance levels	Test result
 4121X	Abrasion resistance	1-4	4
	Blade cut resistance (Coupe test)	1-5	1
	Tear resistance	1-4	2
	Puncture resistance	1-4	1
	Blade cut resistance (TDM)	A-F	X

Additional information

	Material	Colour
Palm	PVC on cotton interlock	red
Index finger and thumb	PVC on cotton interlock	red
Back of the hand	PVC on cotton interlock	red
Fingertips	PVC on cotton interlock	red
Cuff / knitted wrist	PVC on cotton interlock	red

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
10	4059904106369	4059904106376	0,72 m	0,39 m	0,3 m	25,24 kg	15

Customs tariff number: 61161080910
Country of origin: China

AS Arbeitsschutz GmbH | Heinrich-Hertz-Str. 11 | 50181 Bedburg | Germany

+49 2272 9060 0 info@nitras-safety.com www.nitras-safety.com

NITRAS SAFETY nitras_safety NITRAS SAFETY PRODUCTS NITRAS SAFETY

All information provided is correct as of the date indicated. If you have any queries or require up-to-date information, please do not hesitate to contact us at any time. All information without guarantee.