

20029 // CUT F

Cut protection gloves
PPE risk category II



Very durable Kevlar seams
Highest cut resistance (performance level 5/F)
Particularly supple and resistant



20029 // CUT F



Material:	Grain leather, grey Split leather, blue
Coating:	-
Size(s):	8-12
Packaging unit:	60 pair(s)
Certification:	EN 388, EN 407

NITRAS CUT F, cut protection gloves, grain leather and split leather combined, grey / blue (colour code: 1222), palm made of reversed grain leather and with cut-resistant Kevlar lining, split leather cuff with pulse protection made of grain leather, very durable Kevlar seams, highest cut resistance (performance level 5/F), protection against contact heat (100° C, 15 seconds), highest wearing comfort, premium quality, particularly supple and resistant, durable, robust, good grip, PPE risk category II



EN ISO 21420



Industries

-  Craft
-  Building / Construction
-  Automotive manufacturing
-  Commissioning / shipping
-  Wood processing

Advantages

- + Very durable Kevlar seams
- + Highest cut resistance (performance level 5/F)
- + Particularly supple and resistant



Performance values

EN 388:2016	Test parameter	Performance levels	Test result
 4X33F	Abrasion resistance	1-4	4
	Blade cut resistance (Coupe test)	1-5	X
	Tear resistance	1-4	3
	Puncture resistance	1-4	3
	Blade cut resistance (TDM)	A-F	F
EN 407:2020	Test parameter	Performance levels	Test result
 X1XXXX	Resistance to flammability	1-4	X
	Contact heat resistance	1-4	1
	Convective heat resistance	1-4	X
	Radiant heat resistance	1-4	X
	Resistance to small splashes of molten metal	1-4	X
	Resistance to large quantities of molten metal	1-4	X
EN ISO 21420:2020	Test parameter	Performance levels	Test result
	Dexterity	1-5	5

Additional information

	Material	Colour
Palm	Grain leather	grey
Index finger and thumb	Grain leather Split leather	grey / blue
Back of the hand	Split leather	blue
Fingertips	Grain leather Split leather	grey / blue
Cuff / knitted wrist	Split leather	grey

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
8	4059904173569	4059904173613	0,3 m	0,3 m	0,6 m	16,7 kg	28
9	4059904173576	4059904173620	0,3 m	0,3 m	0,6 m	18,4 kg	28
10	4059904173583	4059904173637	0,3 m	0,3 m	0,6 m	19,2 kg	28
11	4059904173590	4059904173644	0,32 m	0,32 m	0,62 m	20,2 kg	28
12	4059904173606	4059904173651	0,32 m	0,32 m	0,62 m	21,5 kg	28

Customs tariff number: 42032910000

Country of origin: India