

20535 // SAFE

Welding gloves
PPE risk category II



Fully lined inside
Protection against contact heat (100° C, 15 seconds)
Durable



20535 // SAFE



Material:	Split leather, grey
Coating:	-
Size(s):	9-11
Packaging unit:	60 pair(s)
Certification:	EN 388, EN 12477

NITRAS SAFE, welding gloves (american safety welding gloves), split leather, grey (colour code: 1200), length 35 cm, fully lined inside, protection against contact heat (100° C, 15 seconds), durable, robust, good grip, PPE risk category II



EN ISO 21420



Industries

-  Craft
-  Building / Construction
-  Automotive manufacturing

Advantages

- + Fully lined inside
- + Protection against contact heat (100° C, 15 seconds)
- + Durable



Performance values

EN 12477:2001 + A1:2005	Test parameter	Performance levels	Test result
 413X4XA	Resistance to flammability	1-4	4
	Contact heat resistance	1-4	1
	Convective heat resistance	1-4	3
	Radiant heat resistance	1-4	X
	Resistance to small splashes of molten metal	1-4	4
	Resistance to large quantities of molten metal	1-4	X
	Type	A / B	A
EN 388:2016 + A1:2018	Test parameter	Performance levels	Test result
 3143X	Abrasion resistance	1-4	3
	Blade cut resistance (Coupe test)	1-5	1
	Tear resistance	1-4	4
	Puncture resistance	1-4	3
	Blade cut resistance (TDM)	A-F	X
EN ISO 21420:2020	Test parameter	Performance levels	Test result
	Dexterity	1-5	5

Additional information

	Material	Colour
Palm	Split leather	grey
Index finger and thumb	Split leather	grey
Back of the hand	Split leather	grey
Fingertips	Split leather	grey
Cuff / knitted wrist	Split leather	grey

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
9	4059904031807	4059904000223	0,63 m	0,38 m	0,31 m	16,96 kg	10
10	4059904094826	4059904094833	0,76 m	0,39 m	0,23 m	18,59 kg	16
11	4059904094840	4059904094857	0,8 m	0,4 m	0,23 m	18,69 kg	12

Customs tariff number: 42032910000

Country of origin: India