

3210 // ARGON PRO

Welding gloves
PPE risk category II



Particularly sensitive
Durable Kevlar seams
Particularly supple and resistant



GL

SL



3210 // ARGON PRO

Material:	Nappa leather, grey Split leather, ochre
Coating:	-
Size(s):	9-12
Packaging unit:	150 pair(s)
Certification:	EN 388, EN 12477

NITRAS ARGON PRO, welding gloves, very sleek and resistant nappa leather, grey, split leather cuff, ochre (colour code: 1245), length 35 cm, inserted thumb, unpadded, Kevlar seams, protection against contact heat (100° C, 15 seconds), premium quality, particularly sensitive, perfect for working with small parts, particularly supple and resistant, durable, robust, PPE risk category II



EN ISO 21420






GL

SL



Industries



-  Craft
-  Building / Construction
-  Automotive manufacturing

Advantages

- + Particularly sensitive
- + Durable Kevlar seams
- + Particularly supple and resistant



Performance values

EN 12477:2001 + A1:2005	Test parameter	Performance levels	Test result
 411X4XB	Resistance to flammability	1-4	4
	Contact heat resistance	1-4	1
	Convective heat resistance	1-4	1
	Radiant heat resistance	1-4	X
	Resistance to small splashes of molten metal	1-4	4
	Resistance to large quantities of molten metal	1-4	X
	Type	A / B	B
EN 388:2016 + A1:2018	Test parameter	Performance levels	Test result
 2111X	Abrasion resistance	1-4	2
	Blade cut resistance (Coupe test)	1-5	1
	Tear resistance	1-4	1
	Puncture resistance	1-4	1
	Blade cut resistance (TDM)	A-F	X
EN ISO 21420:2020	Test parameter	Performance levels	Test result
	Dexterity	1-5	5

Additional information

	Material	Colour
Palm	Nappa leather	grey
Index finger and thumb	Nappa leather	grey
Back of the hand	Nappa leather	grey
Fingertips	Nappa leather	grey
Cuff / knitted wrist	Split leather	ochre

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
9	4059904214262	4059904214309	0,5 m	0,4 m	0,46 m	24,5 kg	
10	4059904214279	4059904214316	0,5 m	0,4 m	0,46 m	24,5 kg	
11	4059904214286	4059904214323	0,5 m	0,4 m	0,46 m	24,5 kg	
12	4059904214293	4059904214330	0,5 m	0,4 m	0,46 m	24,5 kg	

Customs tariff number: 42032910000

Country of origin: India