

# 3440P

Nitrile gloves  
PPE risk category II



Very high wearing comfort  
Very good dry and oil grip  
Very high abrasion resistance



## 3440P



|                        |                                |
|------------------------|--------------------------------|
| <b>Material:</b>       | Cotton jersey, white, bleached |
| <b>Coating:</b>        | Nitrile, blue                  |
| <b>Size(s):</b>        | 10-11                          |
| <b>Packaging unit:</b> | 144 pair(s)                    |
| <b>Certification:</b>  | EN 388                         |

NITRAS nitrile gloves, cotton jersey, white, bleached, nitrile coating, blue (colour code: 2200), fully coated, canvas cuff, very soft, very high wearing comfort, premium quality, very good dry and oil grip, very high abrasion resistance, PPE risk category II

EN 388

EN ISO 21420



4111X



### Industries

-  Craft
-  Building / Construction
-  Automotive manufacturing
-  Commissioning / shipping
-  Landscape gardening

### Advantages

- + Very high wearing comfort
- + Very good dry and oil grip
- + Very high abrasion resistance



## Performance values

| EN 388:2016 + A1:2018                                                                      | Test parameter                    | Performance levels | Test result |
|--------------------------------------------------------------------------------------------|-----------------------------------|--------------------|-------------|
| <br>4111X | Abrasion resistance               | 1-4                | 4           |
|                                                                                            | Blade cut resistance (Coupe test) | 1-5                | 1           |
|                                                                                            | Tear resistance                   | 1-4                | 1           |
|                                                                                            | Puncture resistance               | 1-4                | 1           |
|                                                                                            | Blade cut resistance (TDM)        | A-F                | X           |
| EN ISO 21420:2020                                                                          | Test parameter                    | Performance levels | Test result |
|                                                                                            | Dexterity                         | 1-5                | 5           |

## Additional information

|                        | Material                 | Colour |
|------------------------|--------------------------|--------|
| Palm                   | Nitrile on cotton jersey | blue   |
| Index finger and thumb | Nitrile on cotton jersey | blue   |
| Back of the hand       | Nitrile on cotton jersey | blue   |
| Fingertips             | Nitrile on cotton jersey | blue   |
| Cuff / knitted wrist   | Canvas                   | white  |

## Logistics data

| Size | GTIN (SPU)    | GTIN (PU)     | Length (m) | Width (m) | Height (m) | Weight (kg) | Quantity PU /<br>pallet |
|------|---------------|---------------|------------|-----------|------------|-------------|-------------------------|
| 10   | 4059904105980 | 4059904105997 | 0,6 m      | 0,52 m    | 0,3 m      | 20,08 kg    | 14                      |
| 11   | 4059904107885 | 4059904107892 | 0,63 m     | 0,32 m    | 0,48 m     | 21,54 kg    | 14                      |

Customs tariff number: 61161020910

Country of origin: India