

# 3500

Knitted gloves  
PPE risk category II



Pleasant on skin  
Very good dry and oil grip  
Very high abrasion resistance

13  
GAUGE

NI

3500



|                 |                |
|-----------------|----------------|
| Material:       | Nylon, black   |
| Coating:        | Nitrile, black |
| Size(s):        | 6-11           |
| Packaging unit: | 144 pair(s)    |
| Certification:  | EN 388         |

NITRAS nylon gloves, black, nitrile coating, black (colour code: 1000), partly coated on palm and fingertips, knitted wrist, very good dry and oil grip, very high abrasion resistance, PPE risk category II



EN ISO 21420



|                      |                                                                                    |                                                                                    |                                                                                    |                                                                                      |                                                                                      |                                                                                      |
|----------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| Size                 | 6                                                                                  | 7                                                                                  | 8                                                                                  | 9                                                                                    | 10                                                                                   | 11                                                                                   |
| Colour coding system |  |  |  |  |  |  |

Industries

-  Craft
-  Building / Construction
-  Automotive manufacturing
-  Commissioning / shipping
-  Landscape gardening

Advantages

- + Pleasant on skin
- + Very good dry and oil grip
- + Very high abrasion resistance



## Performance values

| EN 388:2016 + A1:2018                                                                      | Test parameter                    | Performance levels | Test result |
|--------------------------------------------------------------------------------------------|-----------------------------------|--------------------|-------------|
| <br>4121X | Abrasion resistance               | 1-4                | 4           |
|                                                                                            | Blade cut resistance (Coupe test) | 1-5                | 1           |
|                                                                                            | Tear resistance                   | 1-4                | 2           |
|                                                                                            | Puncture resistance               | 1-4                | 1           |
|                                                                                            | Blade cut resistance (TDM)        | A-F                | X           |
| EN ISO 21420:2020                                                                          | Test parameter                    | Performance levels | Test result |
|                                                                                            | Dexterity                         | 1-5                | 5           |

## Additional information

|                        | Material         | Colour |
|------------------------|------------------|--------|
| Palm                   | Nitrile on nylon | black  |
| Index finger and thumb | Nitrile on nylon | black  |
| Back of the hand       | Nylon            | black  |
| Fingertips             | Nitrile on nylon | black  |
| Cuff / knitted wrist   | Nylon            | black  |

## Logistics data

| Size | GTIN (SPU)    | GTIN (PU)     | Length (m) | Width (m) | Height (m) | Weight (kg) | Quantity PU / pallet |
|------|---------------|---------------|------------|-----------|------------|-------------|----------------------|
| 6    | 4059904188105 | 4059904188112 | 0,43 m     | 0,27 m    | 0,37 m     | 6,73 kg     | 30                   |
| 7    | 4059904107083 | 4059904107090 | 0,43 m     | 0,27 m    | 0,37 m     | 6,88 kg     | 24                   |
| 8    | 4059904107106 | 4059904107113 | 0,41 m     | 0,28 m    | 0,37 m     | 6,73 kg     | 26                   |
| 9    | 4059904107120 | 4059904107137 | 0,41 m     | 0,27 m    | 0,37 m     | 7,28 kg     | 26                   |
| 10   | 4059904107144 | 4059904107151 | 0,41 m     | 0,33 m    | 0,36 m     | 7,38 kg     | 26                   |
| 11   | 4059904037304 | 4059904005716 | 0,44 m     | 0,42 m    | 0,27 m     | 8,65 kg     | 26                   |

Customs tariff number: 61161020910

Country of origin: China