# 6346 // ESD 3D CUT D

Cut protection gloves
PPE risk category II




Perfect and innovative fit thanks 3D FIT
18 Gauge
Antistatic (dissipative)

VERSION 1.0.32 | 261030

# 6346 // ESD 3D CUT D

| | |
|---|---|
| **Material:** | Special yarn, grey |
| **Coating:** | Nitrile micro foam, black |
| **Size(s):** | 6-12 |
| **Packaging unit:** | 100 pair(s) |
| **Certification:** | EN 388, OEKO-TEX STANDARD 100® |

NITRAS ESD 3D CUT D, cut protection gloves, special yarn (HPPE / polyamide / elastane / carbon), grey, integrated carbon fibre, nitrile micro foam coating, black (colour code: 1510), partly coated on palm and fingertips, high mechanical resistance, knitted wrist, high cut resistance, protection against contact heat (100°C, 15 seconds), perfect dexterity, perfect and innovative fit thanks 3D FIT, unique comfort and protection for the user, 18 Gauge, reinforced thumb crotch, touchscreen capable, washable, premium quality, antistatic (dissipative), skin compatibility tested (dermatest®), for food contact, OEKO-TEX STANDARD 100®, ANSI A4 CUT, very slip resistant, perfect grip, very high abrasion resistance, very good dry and oil grip, PPE risk category II

EN 388 3X42D | EN 407 X1XXXX | EN 16350 | EN ISO 21420

18 GAUGE · PREMIUM QUALITY · OEKO-TEX STANDARD 100 · 3D FIT · ANSI A4 CUT · NI

| Size | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|
| Colour coding system | | | | | | | |

## Industries

- Craft
- Building / Construction
- Automotive manufacturing
- Commissioning / shipping
- Wood processing

## Advantages

+ Perfect and innovative fit thanks 3D FIT
+ 18 Gauge
+ Antistatic (dissipative)



**Performance values**

| EN ISO 21420:2020 | Test parameter | Performance levels | Test result |
|---|---|---|---|
| | Dexterity | 1-5 | 5 |

| EN 388:2016 + A1:2018 | Test parameter | Performance levels | Test result |
|---|---|---|---|
|  3X42D | Abrasion resistance | 1-4 | 3 |
| | Blade cut resistance (Coupe test) | 1-5 | X |
| | Tear resistance | 1-4 | 4 |
| | Puncture resistance | 1-4 | 2 |
| | Blade cut resistance (TDM) | A-F | D |

| EN 407:2020 | Test parameter | Performance levels | Test result |
|---|---|---|---|
|  X1XXXX | Resistance to flammability | 1-4 | X |
| | Contact heat resistance | 1-4 | 1 |
| | Convective heat resistance | 1-4 | X |
| | Radiant heat resistance | 1-4 | X |
| | Resistance to small splashes of molten metal | 1-4 | X |
| | Resistance to large quantities of molten metal | 1-4 | X |

| EN 16350:2014 | Test parameter | Performance levels | Test result |
|---|---|---|---|
|  | Palm (Ω) | - | 9,07 x 10^6 |
| | Back of the hand (Ω) | - | 1,16 x 10^7 |
| | Cuff (Ω) | - | 6,12 x 10^6 |

## Additional information

| | Material | Colour |
|---|---|---|
| Palm | Nitrile micro foam on special yarn | black |
| Index finger and thumb | Nitrile micro foam on special yarn | black |
| Back of the hand | Special yarn | grey |
| Fingertips | Nitrile micro foam on special yarn | black |
| Cuff / knitted wrist | Special yarn | grey |



Machine wash 60°C


Do not tumble dry


Tumble dry, low temperature


Do not iron


Do not dry clean

Washing cycles (max.) 5

## Logistics data

| Size | GTIN (SPU) | GTIN (PU) | Length (m) | Width (m) | Height (m) | Weight (kg) | Quantity PU / pallet |
|---|---|---|---|---|---|---|---|
| 6 | 4059904206878 | 4059904206946 | 0,54 m | 0,3 m | 0,24 m | 4,59 kg | 45 |
| 7 | 4059904206885 | 4059904206953 | 0,54 m | 0,3 m | 0,24 m | 4,99 kg | 45 |
| 8 | 4059904206892 | 4059904206960 | 0,54 m | 0,3 m | 0,24 m | 5,39 kg | 45 |
| 9 | 4059904206908 | 4059904206977 | 0,54 m | 0,3 m | 0,24 m | 5,79 kg | 45 |
| 10 | 4059904206915 | 4059904206984 | 0,54 m | 0,3 m | 0,24 m | 6,19 kg | 45 |
| 11 | 4059904206922 | 4059904206991 | 0,54 m | 0,3 m | 0,24 m | 6,19 kg | 45 |
| 12 | 4059904206939 | 4059904207004 | 0,54 m | 0,3 m | 0,24 m | 6,59 kg | 45 |

Customs tariff number: 61161020910
Country of origin: China



AS Arbeitsschutz GmbH | Heinrich-Hertz-Str. 11 | 50181 Bedburg | Germany

+49 2272 9060 0 info@nitras-safety.com www.nitras-safety.com

NITRAS SAFETY nitras_safety NITRAS SAFETY PRODUCTS NITRAS SAFETY

All information provided is correct as of the date indicated. If you have any queries or require up-to-date information, please do not hesitate to contact us at any time. All information without guarantee.