

# 6605 // CUT D

Cut protection gloves  
PPE risk category II



Particularly sensitive  
Perfect for working with small parts  
Very good tactile sensitivity

13  
GAUGE

PU

## 6605 // CUT D



|                 |                    |
|-----------------|--------------------|
| Material:       | Special yarn, grey |
| Coating:        | PU, grey           |
| Size(s):        | 6-11               |
| Packaging unit: | 100 pair(s)        |
| Certification:  | EN 388             |

NITRAS CUT D, cut protection gloves, special yarn (HPPE / polyester / glass fibre / elastane), grey, PU coating, grey (colour code: 1200), partly coated on palm and fingertips, knitted wrist, high cut resistance, highest wearing comfort, particularly sensitive, perfect for working with small parts, very good tactile sensitivity, PPE risk category II



EN ISO 21420

13  
GAUGE

PU

| Size                 | 6                                                                                   | 7                                                                                   | 8                                                                                   | 9                                                                                     | 10                                                                                    | 11                                                                                    |
|----------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Colour coding system |  |  |  |  |  |  |

### Industries

-  Craft
-  Building / Construction
-  Automotive manufacturing
-  Commissioning / shipping
-  Wood processing

### Advantages

- + Particularly sensitive
- + Perfect for working with small parts
- + Very good tactile sensitivity



## Performance values

| EN 388:2016 + A1:2018                                                                      | Test parameter                    | Performance levels | Test result |
|--------------------------------------------------------------------------------------------|-----------------------------------|--------------------|-------------|
| <br>4X43D | Abrasion resistance               | 1-4                | 4           |
|                                                                                            | Blade cut resistance (Coupe test) | 1-5                | X           |
|                                                                                            | Tear resistance                   | 1-4                | 4           |
|                                                                                            | Puncture resistance               | 1-4                | 3           |
|                                                                                            | Blade cut resistance (TDM)        | A-F                | D           |
| EN ISO 21420:2020                                                                          | Test parameter                    | Performance levels | Test result |
|                                                                                            | Dexterity                         | 1-5                | 5           |

## Additional information

|                        | Material           | Colour |
|------------------------|--------------------|--------|
| Palm                   | PU on special yarn | grey   |
| Index finger and thumb | PU on special yarn | grey   |
| Back of the hand       | Special yarn       | grey   |
| Fingertips             | PU on special yarn | grey   |
| Cuff / knitted wrist   | Special yarn       | grey   |

## Logistics data

| Size | GTIN (SPU)    | GTIN (PU)     | Length (m) | Width (m) | Height (m) | Weight (kg) | Quantity PU / pallet |
|------|---------------|---------------|------------|-----------|------------|-------------|----------------------|
| 6    | 4059904100404 | 4059904100411 | 0,64 m     | 0,32 m    | 0,25 m     | 6,32 kg     | 30                   |
| 7    | 4059904100428 | 4059904100435 | 0,65 m     | 0,33 m    | 0,25 m     | 6,69 kg     | 25                   |
| 8    | 4059904100442 | 4059904100459 | 0,64 m     | 0,32 m    | 0,26 m     | 7,05 kg     | 25                   |
| 9    | 4059904100466 | 4059904100473 | 0,65 m     | 0,32 m    | 0,26 m     | 7,4 kg      | 25                   |
| 10   | 4059904100480 | 4059904100497 | 0,66 m     | 0,32 m    | 0,25 m     | 7,84 kg     | 25                   |
| 11   | 4059904100503 | 4059904100510 | 0,66 m     | 0,33 m    | 0,25 m     | 8,44 kg     | 25                   |

Customs tariff number: 61161080910

Country of origin: China