

7200 // STEP

Low shoes
PPE risk category II



flattened heel for a natural rolling movement of the foot
Highest slip resistance (SR)
Additional toe cap

S3

FO

SR

EN ISO 20345
112-191
TYPE 1



574

7200 // STEP



Shoe upper:	Grain leather, black
Outsole:	PU / TPU, grey / black
Size(s):	35-50
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345

NITRAS STEP, safety shoes, S3 FO, durable grain leather, black (colour code: 1000), tough PU / TPU outsole, grey / black, steel toe cap, steel perforation resistant midsole, ergonomic insoles, appealing design, flattened heel for a natural rolling movement of the foot, highest slip resistance (SR), width 11, additional toe cap, DGUV Rule 112-191-proofed, Type 1, PPE risk category II

EN ISO 20345



Industries

-  Craft
-  Building / Construction
-  Landscape gardening
-  Waste management

Advantages

- + flattened heel for a natural rolling movement of the foot
- + Highest slip resistance (SR)
- + Additional toe cap



Further images



Additional information

Miscellaneous

Weight (g) 574

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
35	4059904120303	4059904120334	0,61 m	0,45 m	0,35 m	11,44 kg	14
36	4059904099265	4059904099395	0,61 m	0,44 m	0,35 m	12,15 kg	12
37	4059904099272	4059904099401	0,61 m	0,38 m	0,44 m	12,41 kg	12
38	4059904099289	4059904099418	0,61 m	0,35 m	0,44 m	13,88 kg	14
39	4059904099296	4059904099425	0,6 m	0,44 m	0,35 m	13,37 kg	12
40	4059904099302	4059904099432	0,61 m	0,36 m	0,44 m	13,75 kg	12
41	4059904099319	4059904099449	0,6 m	0,35 m	0,44 m	14,88 kg	14
42	4059904099326	4059904099456	0,61 m	0,36 m	0,44 m	15,36 kg	14
43	4059904099333	4059904099463	0,63 m	0,38 m	0,46 m	14,99 kg	14
44	4059904099340	4059904099470	0,63 m	0,46 m	0,37 m	15,73 kg	14
45	4059904099357	4059904099487	0,63 m	0,39 m	0,47 m	16,61 kg	14
46	4059904099364	4059904099494	0,63 m	0,46 m	0,37 m	17,19 kg	14
47	4059904099371	4059904099500	0,63 m	0,38 m	0,46 m	16,87 kg	14
48	4059904099388	4059904099517	0,64 m	0,4 m	0,46 m	17,61 kg	12
49	4059904120310	4059904120341	0,71 m	0,49 m	0,4 m	18,96 kg	12
50	4059904120327	4059904120358	0,7 m	0,48 m	0,4 m	19,09 kg	10

Customs tariff number: 64034000000

Country of origin: China