

7201 MF // STEP MID MF

Boots
PPE risk category II



Metal-free
Highest slip resistance (SRC)
Well padded bootleg for optimal fit and comfort

S3

SRC

MF

OGUV RULE
112-191
TYPE 1



580

7201 MF // STEP MID MF







Shoe upper:	Grain leather, black
Outsole:	PU / TPU, grey / black
Size(s):	35-50
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345, DGUV Regel 112-191

NITRAS STEP MID MF, safety boots, half-height, S3, durable grain leather, black (colour code: 1000), tough PU / TPU outsole, grey / black, fibreglass toe cap, textile perforation resistant midsole, metal-free, ergonomic insoles, appealing design, flattened heel for a natural rolling movement of the foot, highest slip resistance (SRC), width 11, well padded bootleg for optimal fit and comfort, DGUV Rule 112-191-proofed, Type 1, PPE risk category II

EN ISO 20345



Industries

-  Craft
-  Building / Construction
-  Landscape gardening
-  Waste management

Advantages

- + Metal-free
- + Highest slip resistance (SRC)
- + Well padded bootleg for optimal fit and comfort



Further images



Additional information

Miscellaneous

Weight (g) 580

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
35	4059904123311	4059904123328	0,61 m	0,46 m	0,35 m	13,91 kg	20
36	4059904063624	4059904063754	0,6 m	0,36 m	0,44 m	13,92 kg	11
37	4059904063631	4059904063761	0,6 m	0,37 m	0,44 m	13,68 kg	11
38	4059904063648	4059904063778	0,61 m	0,44 m	0,34 m	13,43 kg	14
39	4059904063655	4059904063785	0,59 m	0,37 m	0,45 m	14,55 kg	11
40	4059904063662	4059904063792	0,6 m	0,46 m	0,36 m	15,24 kg	12
41	4059904063679	4059904063808	0,61 m	0,45 m	0,35 m	15,79 kg	12
42	4059904063686	4059904063815	0,61 m	0,44 m	0,35 m	16,05 kg	12
43	4059904063693	4059904063822	0,47 m	0,47 m	0,37 m	16,14 kg	11
44	4059904063709	4059904063839	0,62 m	0,41 m	0,47 m	17,33 kg	11
45	4059904063716	4059904063846	0,63 m	0,43 m	0,46 m	17,42 kg	14
46	4059904063723	4059904063853	0,68 m	0,49 m	0,38 m	17,45 kg	14
47	4059904063730	4059904063860	0,63 m	0,47 m	0,37 m	17,23 kg	11
48	4059904063747	4059904063877	0,64 m	0,46 m	0,38 m	17,58 kg	11
49	4059904123335	4059904123342	0,71 m	0,48 m	0,41 m	20,06 kg	11
50	4059904123359	4059904123366	0,71 m	0,49 m	0,4 m	20,02 kg	20

Customs tariff number: 64039113900

Country of origin: China