

7205 // BASIC STEP

Low shoes
PPE risk category II



Steel toe cap
Flattened heel for a natural rolling movement of the foot
Highest slip resistance (SRC)

S3 **SRC**   606

7205 // BASIC STEP



Shoe upper:	Grain leather, black
Outsole:	PU / PU, black
Size(s):	36-48
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345

NITRAS BASIC STEP, safety shoes, S3, durable grain leather, black (colour code: 1000), tough PU / PU outsole black, steel toe cap, steel perforation resistant midsole, ergonomic insoles, appealing design, flattened heel for a natural rolling movement of the foot, highest slip resistance (SRC), width 11, PPE risk category II

EN ISO 20345



Industries

-  Craft
-  Building / Construction
-  Landscape gardening
-  Waste management

Advantages

- + Steel toe cap
- + Flattened heel for a natural rolling movement of the foot
- + Highest slip resistance (SRC)



Further images



Additional information

Miscellaneous

Weight (g) 606

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
36	4059904041349	4059904009936	0,63 m	0,45 m	0,35 m	12,11 kg	14
37	4059904041356	4059904009943	0,63 m	0,43 m	0,35 m	12,85 kg	14
38	4059904041363	4059904009950	0,6 m	0,41 m	0,34 m	10,57 kg	14
39	4059904041370	4059904009967	0,61 m	0,35 m	0,41 m	11,15 kg	14
40	4059904041387	4059904009974	0,6 m	0,42 m	0,34 m	11,48 kg	14
41	4059904041394	4059904009981	0,61 m	0,35 m	0,41 m	11,8 kg	14
42	4059904041400	4059904009998	0,63 m	0,45 m	0,35 m	14,35 kg	14
43	4059904041417	4059904010000	0,64 m	0,38 m	0,46 m	15,13 kg	14
44	4059904041424	4059904010017	0,65 m	0,37 m	0,46 m	14,79 kg	14
45	4059904041431	4059904010024	0,64 m	0,37 m	0,46 m	15,36 kg	14
46	4059904041448	4059904010031	0,63 m	0,41 m	0,45 m	14,46 kg	14
47	4059904041455	4059904010048	0,63 m	0,39 m	0,47 m	15,96 kg	14
48	4059904041462	4059904010055	0,67 m	0,44 m	0,39 m	15,29 kg	14

Customs tariff number: 64034000000

Country of origin: China