

7206 // BASIC STEP MID

Boots
PPE risk category II



Highest slip resistance (SRC)
Well padded bootleg for optimal fit and comfort
Durable grain leather

S3 **SRC**  620 

7206 // BASIC STEP MID



Shoe upper:	Grain leather, black
Outsole:	PU / PU, black
Size(s):	36-48
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345

NITRAS BASIC STEP MID, safety boots, half-height, S3, durable grain leather, black (colour code: 1000), tough PU / PU outsole black, steel toe cap, steel perforation resistant midsole, ergonomic insoles, appealing design, flattened heel for a natural rolling movement of the foot, highest slip resistance (SRC), width 11, well padded bootleg for optimal fit and comfort, PPE risk category II

EN ISO 20345



Industries

-  Craft
-  Building / Construction
-  Landscape gardening
-  Waste management

Advantages

- + Highest slip resistance (SRC)
- + Well padded bootleg for optimal fit and comfort
- + Durable grain leather



Further images



Additional information

Miscellaneous

Weight (g) 620

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
36	4059904038493	4059904006942	0,64 m	0,42 m	0,47 m	11,37 kg	14
37	4059904038509	4059904006959	0,62 m	0,42 m	0,46 m	12,28 kg	14
38	4059904038516	4059904006966	0,62 m	0,42 m	0,44 m	12,68 kg	14
39	4059904038523	4059904006973	0,64 m	0,47 m	0,34 m	12,58 kg	14
40	4059904038530	4059904006980	0,64 m	0,41 m	0,44 m	13,04 kg	14
41	4059904038547	4059904006997	0,63 m	0,44 m	0,43 m	13,49 kg	14
42	4059904038554	4059904007000	0,64 m	0,36 m	0,47 m	12,84 kg	14
43	4059904038561	4059904007017	0,64 m	0,38 m	0,43 m	14,21 kg	14
44	4059904038578	4059904007024	0,66 m	0,51 m	0,39 m	14,55 kg	14
45	4059904038585	4059904007031	0,67 m	0,48 m	0,38 m	15,2 kg	10
46	4059904038592	4059904007048	0,64 m	0,37 m	0,46 m	15,74 kg	14
47	4059904038608	4059904007055	0,64 m	0,39 m	0,46 m	16,73 kg	10
48	4059904038615	4059904007062	0,66 m	0,38 m	0,46 m	16,07 kg	14

Customs tariff number: 64034000000

Country of origin: China