7211 // POWER STEP MID

Boots

PPE risk category II



Durable grain leather

Highest slip resistance (SRC)

Well padded bootleg for optimal fit and comfort

S3 HI HRO SRC DGUV RULE 112-191 TYPE 1 761

VERSION 1.1.18 | 261028

7211 // POWER STEP MID

Shoe upper:	Grain leather, black
Outsole:	PU / nitrile, black
Size(s):	36-50
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345

NITRAS POWER STEP MID, safety boots, half-height, S3 HI HRO, durable grain leather, black (colour code: 1000), tough PU / nitrile outsole, black, steel toe cap, steel perforation resistant midsole, premium COMFORT STEP insocks, ergonomically formed, appealing design, flattened heel for a natural rolling movement of the foot, highest slip resistance (SRC), width 11, additional toe cap, well padded bootleg for optimal fit and comfort, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, premium quality, DGUV Rule 112-191-proofed, Type 1, PPE risk category II

EN ISO 20345

S3 HI HRO SRC DGUV RULE 112-191 TYPE 1 761

Industries

- Craft
- Building / Construction
- Landscape gardening
- Transport / Logistics
- Waste management

Advantages

- \+ Durable grain leather
- \+ Highest slip resistance (SRC)
- \+ Well padded bootleg for optimal fit and comfort



Further images





Additional information

Miscellaneous

Weight (g)	761

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
36	4059904103139	4059904103146	0,65 m	0,5 m	0,39 m	16,63 kg	11
37	4059904103153	4059904103160	0,64 m	0,49 m	0,39 m	17,05 kg	10
38	4059904103177	4059904103184	0,64 m	0,49 m	0,39 m	17,71 kg	10
39	4059904103191	4059904103207	0,64 m	0,5 m	0,38 m	18,45 kg	14
40	4059904103214	4059904103221	0,64 m	0,5 m	0,38 m	18,27 kg	14
41	4059904103238	4059904103245	0,65 m	0,49 m	0,38 m	18,94 kg	11
42	4059904103252	4059904103269	0,64 m	0,49 m	0,39 m	20,09 kg	12
43	4059904103276	4059904103283	0,69 m	0,54 m	0,41 m	20,78 kg	10
44	4059904103290	4059904103306	0,7 m	0,54 m	0,4 m	22,04 kg	10
45	4059904103313	4059904103320	0,7 m	0,54 m	0,41 m	22,39 kg	10
46	4059904103337	4059904103344	0,7 m	0,55 m	0,41 m	22,73 kg	10
47	4059904103351	4059904103368	0,7 m	0,54 m	0,41 m	23,53 kg	12
48	4059904103375	4059904103382	0,7 m	0,54 m	0,41 m	23,98 kg	10
49	4059904103399	4059904103405	0,69 m	0,55 m	0,42 m	24,24 kg	10
50	4059904103412	4059904103429	0,69 m	0,54 m	0,43 m	24,37 kg	10

Customs tariff number: 64034000000
Country of origin: India

AS Arbeitsschutz GmbH | Heinrich-Hertz-Str. 11 | 50181 Bedburg | Germany

+49 2272 9060 0 info@nitras-safety.com www.nitras-safety.com

NITRAS SAFETY nitras_safety NITRAS SAFETY PRODUCTS NITRAS SAFETY

All information provided is correct as of the date indicated. If you have any queries or require up-to-date information, please do not hesitate to contact us at any time. All information without guarantee.