

7213W // POWER STEP MID+ W

Winter boots
PPE risk category II



Durable grain leather
Highest slip resistance (SRC)
winter lining throughout the interior



S3

CI

HI

HRO

SRC



798

7213W // POWER STEP MID+ W



Shoe upper:	Grain leather, black
Outsole:	PU / nitrile, black
Size(s):	36-50
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345

NITRAS POWER STEP MID+ W, safety winter boots, half-height, S3 CI HI HRO, durable grain leather, black (colour code: 1000), tough PU / nitrile outsole, black, steel toe cap, steel perforation resistant midsole, premium COMFORT STEP insoles, ergonomically formed, appealing design, flattened heel for a natural rolling movement of the foot, highest slip resistance (SRC), width 11, additional toe cap, well padded bootleg for optimal fit and comfort, winter lining throughout the interior, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, premium quality, DGUV Rule 112-191-protected, Type 1, PPE risk category II

EN ISO 20345



S3

CI

HI

HRO

SRC



798

Industries

-  Craft
-  Building / Construction
-  Landscape gardening
-  Transport / Logistics
-  Waste management
-  Refrigeration range

Advantages

- + Durable grain leather
- + Highest slip resistance (SRC)
- + winter lining throughout the interior



Further images



Additional information

Miscellaneous

Weight (g) 798

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
37	4059904103757	4059904103764	0,692 m	0,542 m	0,445 m	19,026 kg	14
38	4059904103771	4059904103788	0,69 m	0,54 m	0,4 m	19,71 kg	20
39	4059904103795	4059904103801	0,69 m	0,54 m	0,4 m	20,57 kg	20
40	4059904103818	4059904103825	0,69 m	0,54 m	0,4 m	20,37 kg	20
41	4059904103832	4059904103849	0,68 m	0,54 m	0,41 m	21,19 kg	20
42	4059904103856	4059904103863	0,69 m	0,54 m	0,41 m	21,6 kg	11
43	4059904103870	4059904103887	0,69 m	0,57 m	0,4 m	23,21 kg	10
44	4059904103894	4059904103900	0,68 m	0,56 m	0,41 m	23,8 kg	12
45	4059904103917	4059904103924	0,68 m	0,56 m	0,41 m	24,58 kg	20
46	4059904103931	4059904103948	0,7 m	0,56 m	0,4 m	24,68 kg	20
47	4059904103955	4059904103962	0,7 m	0,57 m	0,4 m	26,15 kg	20
48	4059904103979	4059904103986	0,7 m	0,57 m	0,4 m	26,15 kg	9
49	4059904103993	4059904104006	0,7 m	0,57 m	0,4 m	26,15 kg	11
50	4059904104013	4059904104020	0,7 m	0,57 m	0,4 m	26,15 kg	10

Customs tariff number: 64034000000

Country of origin: India