

7213 // POWER STEP MID+

Boots
PPE risk category II



Durable grain leather
Highest slip resistance (SRC)
Well padded bootleg for optimal fit and comfort



S3

HI

HRO

SRC

DGUV RULE
112-191
TYPE 1



780

7213 // POWER STEP MID+



Shoe upper:	Grain leather, black
Outsole:	PU / nitrile, black
Size(s):	36-50
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345

NITRAS POWER STEP MID+, safety boots, half-height, S3 HI HRO, durable grain leather, black (colour code: 1000), tough PU / nitrile outsole, black, steel toe cap, steel perforation resistant midsole, premium COMFORT STEP insoles, ergonomically formed, appealing design, flattened heel for a natural rolling movement of the foot, highest slip resistance (SRC), width 11, additional toe cap, well padded bootleg for optimal fit and comfort, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, premium quality, DGUV Rule 112-191-proofed, Type 1, PPE risk category II

EN ISO 20345



S3

HI

HRO

SRC



Industries

-  Craft
-  Building / Construction
-  Landscape gardening
-  Transport / Logistics
-  Waste management

Advantages

- + Durable grain leather
- + Highest slip resistance (SRC)
- + Well padded bootleg for optimal fit and comfort



Further images



Additional information

Miscellaneous

Weight (g) 780

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
36	4059904103436	4059904103443	0,68 m	0,54 m	0,41 m	18,1 kg	8
37	4059904103450	4059904103467	0,69 m	0,54 m	0,4 m	18,91 kg	8
38	4059904103474	4059904103481	0,69 m	0,53 m	0,41 m	19,34 kg	10
39	4059904103498	4059904103504	0,41 m	0,27 m	0,13 m	1,79 kg	8
40	4059904103511	4059904103528	0,41 m	0,27 m	0,13 m	1,79 kg	12
41	4059904103535	4059904103542	0,68 m	0,54 m	0,41 m	21,01 kg	12
42	4059904103559	4059904103566	0,68 m	0,55 m	0,4 m	21,33 kg	8
43	4059904103573	4059904103580	0,68 m	0,56 m	0,41 m	22,9 kg	10
44	4059904103597	4059904103603	0,68 m	0,57 m	0,41 m	23,27 kg	8
45	4059904103610	4059904103627	0,68 m	0,56 m	0,41 m	23,8 kg	8
46	4059904103634	4059904103641	0,68 m	0,57 m	0,41 m	24,41 kg	10
47	4059904103658	4059904103665	0,69 m	0,57 m	0,41 m	24,82 kg	8
48	4059904103672	4059904103689	0,69 m	0,56 m	0,4 m	25,31 kg	8
49	4059904103696	4059904103702	0,68 m	0,57 m	0,4 m	25,34 kg	8
50	4059904103719	4059904103726	0,69 m	0,57 m	0,41 m	25,77 kg	8

Customs tariff number: 64034000000

Country of origin: India