

7215 // UTILITY STEP

Low shoes
PPE risk category II



Durable Action Leather
Fibreglass toe cap
Reflective elements

S3L

CI

FO

SR

EN ISO 20345
112-191
TYPE 1



695

7215 // UTILITY STEP



Shoe upper:	Action Leather, black
Outsole:	PU / PU, black
Size(s):	36-48
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345

NITRAS UTILITY STEP, S3L CI FO safety shoes, durable Action Leather, black (colour code: 1000), tough and non-marking PU / PU outsole, black, fibreglass toe cap, textile perforation resistant midsole, metal-free, ergonomic insoles, sporty design, highest slip resistance (SR), width 11, reflective elements, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, DGUV Rule 112-191-proofed, Type 1, ESD-capable, PPE risk category II

EN ISO 20345

EN IEC 61340-4-3



Industries

-  Craft
-  Building / Construction
-  Landscape gardening
-  Waste management
-  Refrigeration range

Advantages

- + Durable Action Leather
- + Fibreglass toe cap
- + Reflective elements



Further images



Additional information

Miscellaneous

Weight (g) 695

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
36	4059904203129	4059904203136	0,6 m	0,5 m	0,35 m	15 kg	12
37	4059904203143	4059904203150	0,6 m	0,5 m	0,35 m	15 kg	12
38	4059904203167	4059904203174	0,6 m	0,5 m	0,35 m	15 kg	12
39	4059904203181	4059904203198	0,6 m	0,5 m	0,35 m	15 kg	12
40	4059904203204	4059904203211	0,6 m	0,5 m	0,35 m	15 kg	12
41	4059904203228	4059904203235	0,6 m	0,5 m	0,35 m	15 kg	12
42	4059904203242	4059904203259	0,6 m	0,5 m	0,35 m	15 kg	12
43	4059904203266	4059904203273	0,6 m	0,5 m	0,35 m	15 kg	12
44	4059904203280	4059904203297	0,6 m	0,5 m	0,35 m	15 kg	12
45	4059904203303	4059904203310	0,6 m	0,5 m	0,35 m	15 kg	12
46	4059904203327	4059904203334	0,6 m	0,5 m	0,35 m	15 kg	12
47	4059904203341	4059904203358	0,6 m	0,5 m	0,35 m	15 kg	12
48	4059904203365	4059904203372	0,6 m	0,5 m	0,35 m	15 kg	12

Customs tariff number: 64039993900

Country of origin: India