

7216 // UTILITY STEP MID

Boots
PPE risk category II



Durable Action Leather
Highest slip resistance (SR)
Well padded bootleg for optimal fit and comfort

S3L **CI** **FO** **SR** DGUV RULE 112-191 TYPE 1   **767**

7216 // UTILITY STEP MID



Shoe upper:	Action Leather, black
Outsole:	PU / PU, black
Size(s):	36-48
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345

NITRAS UTILITY STEP MID, S3L CI FO safety boots, half-height, durable Action Leather, black (colour code: 1000), tough and non-marking PU / PU outsole, black, fibreglass toe cap, textile perforation resistant midsole, metal-free, ergonomic insoles, sporty design, highest slip resistance (SR), width 11, well padded bootleg for optimal fit and comfort, reflective elements, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, DGVU Rule 112-191-protected, Type 1, ESD-capable, PPE risk category II

EN ISO 20345

EN IEC 61340-4-3



Industries

-  Craft
-  Building / Construction
-  Landscape gardening
-  Waste management
-  Refrigeration range

Advantages

- + Durable Action Leather
- + Highest slip resistance (SR)
- + Well padded bootleg for optimal fit and comfort



Further images



Additional information

Miscellaneous

Weight (g) 767

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
36	4059904203389	4059904203396	0,6 m	0,5 m	0,35 m	15 kg	12
37	4059904203402	4059904203419	0,6 m	0,5 m	0,35 m	15 kg	12
38	4059904203426	4059904203433	0,6 m	0,5 m	0,35 m	15 kg	12
39	4059904203440	4059904203457	0,6 m	0,5 m	0,35 m	15 kg	12
40	4059904203464	4059904203471	0,6 m	0,5 m	0,35 m	15 kg	12
41	4059904203488	4059904203495	0,6 m	0,5 m	0,35 m	15 kg	12
42	4059904203501	4059904203518	0,6 m	0,5 m	0,35 m	15 kg	12
43	4059904203525	4059904203532	0,6 m	0,5 m	0,35 m	15 kg	12
44	4059904203549	4059904203556	0,6 m	0,5 m	0,35 m	15 kg	12
45	4059904203563	4059904203570	0,6 m	0,5 m	0,35 m	15 kg	12
46	4059904203587	4059904203594	0,6 m	0,5 m	0,35 m	15 kg	12
47	4059904203600	4059904203617	0,6 m	0,5 m	0,35 m	15 kg	12
48	4059904203624	4059904203631	0,6 m	0,5 m	0,35 m	15 kg	12

Customs tariff number: 64039113900

Country of origin: India