

7302 // SPORT STEP SA

PPE risk category II



Metal-free
Hook and loop fastener
Highest slip resistance (SRC)



7302 // SPORT STEP SA



Shoe upper:	Grain leather, black
Outsole:	PU / TPU, grey / transparent
Size(s):	35-50
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345





NITRAS SPORT STEP SA, safety sandals, S1 P, durable grain leather, black (colour code: 1000), tough and non-marking PU / TPU outsole, grey / transparent, fibreglass toe cap, textile perforation resistant midsole, metal-free, ergonomic insoles, sporty design, highest slip resistance (SRC), width 11, hook and loop fastener, circumferential reflective elements, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, DGUV Rule 112-191-proofed, Type 1, Type 2, ESD-capable, PPE risk category II

EN ISO 20345

EN IEC 61340-4-3



Industries

-  Craft
-  Automotive manufacturing
-  Commissioning / shipping
-  Events

Advantages

- + Metal-free
- + Hook and loop fastener
- + Highest slip resistance (SRC)



Further images



Additional information

Miscellaneous

Weight (g) 624

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
35	4059904120549	4059904120570	0,63 m	0,54 m	0,38 m	13,5 kg	10
36	4059904087798	4059904087804	0,66 m	0,54 m	0,37 m	13,04 kg	10
37	4059904087811	4059904087828	0,61 m	0,52 m	0,35 m	12,97 kg	10
38	4059904087835	4059904087842	0,6 m	0,52 m	0,35 m	12,73 kg	14
39	4059904087859	4059904087866	0,61 m	0,52 m	0,35 m	12,51 kg	20
40	4059904087873	4059904087880	0,61 m	0,52 m	0,34 m	13,09 kg	11
41	4059904087897	4059904087903	0,61 m	0,52 m	0,34 m	14,15 kg	20
42	4059904087910	4059904087927	0,63 m	0,53 m	0,37 m	14,67 kg	11
43	4059904087934	4059904087941	0,63 m	0,54 m	0,38 m	15,16 kg	11
44	4059904087958	4059904087965	0,63 m	0,53 m	0,38 m	16,73 kg	11
45	4059904087972	4059904087989	0,64 m	0,54 m	0,39 m	17,26 kg	20
46	4059904087996	4059904088009	0,63 m	0,54 m	0,37 m	17,22 kg	20
47	4059904088016	4059904088023	0,63 m	0,55 m	0,38 m	18,32 kg	10
48	4059904088030	4059904088047	0,65 m	0,53 m	0,38 m	19,15 kg	12
49	4059904120556	4059904120587	0,67 m	0,54 m	0,4 m	19,85 kg	12
50	4059904120563	4059904120594	0,69 m	0,56 m	0,41 m	20,37 kg	12

Customs tariff number: 64039993900

Country of origin: China