

7306 // SPORT STEP FIT

Low shoes
PPE risk category II



With dial fastener 711 // FIT SYSTEM
Circumferential reflective elements
Heel reinforcement made of robust microfibre



7306 // SPORT STEP FIT



Shoe upper:	Grain leather, black
Outsole:	PU / TPU, grey / transparent
Size(s):	35-50
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345

NITRAS SPORT STEP FIT, safety shoes, S3, durable grain leather, black, tough and non-marking PU / TPU outsole, grey / transparent (colour code: 1000), fibreglass toe cap, textile perforation resistant midsole, metal-free, ergonomic insoles, sporty design, with dial fastener 711 // FIT SYSTEM for fast availability and optimal fit, highest slip resistance (SRC), width 11, circumferential reflective elements, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, DGVV Rule 112-191-proofed, Type 1, Type 2, ESD-capable, PPE risk category II

EN ISO 20345

EN IEC 61340-4-3



Industries

-  Craft
-  Building / Construction
-  Landscape gardening
-  Waste management

Advantages

- + With dial fastener 711 // FIT SYSTEM
- + Circumferential reflective elements
- + Heel reinforcement made of robust microfibre



Further images



Additional information

Miscellaneous

Weight (g) 631

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
35	4059904192430	4059904192447	0,59 m	0,5 m	0,325 m	11,6 kg	14
36	4059904192454	4059904192461	0,59 m	0,5 m	0,325 m	11,8 kg	14
37	4059904192478	4059904192485	0,59 m	0,5 m	0,325 m	12 kg	14
38	4059904192492	4059904192508	0,59 m	0,5 m	0,325 m	12,2 kg	14
39	4059904192515	4059904192522	0,59 m	0,5 m	0,325 m	12,4 kg	14
40	4059904192539	4059904192546	0,59 m	0,5 m	0,325 m	12,6 kg	14
41	4059904192553	4059904192560	0,59 m	0,5 m	0,325 m	12,8 kg	14
42	4059904192577	4059904192584	0,59 m	0,5 m	0,325 m	13 kg	14
43	4059904192591	4059904192607	0,615 m	0,52 m	0,355 m	13,2 kg	14
44	4059904192614	4059904192621	0,615 m	0,52 m	0,355 m	13,4 kg	14
45	4059904192638	4059904192645	0,615 m	0,52 m	0,355 m	13,6 kg	14
46	4059904192652	4059904192669	0,615 m	0,52 m	0,355 m	13,8 kg	14
47	4059904192676	4059904192683	0,615 m	0,52 m	0,355 m	14 kg	14
48	4059904192690	4059904192706	0,615 m	0,52 m	0,355 m	14,2 kg	14
49	4059904192713	4059904192720	0,64 m	0,54 m	0,375 m	14,4 kg	14
50	4059904192737	4059904192744	0,64 m	0,54 m	0,375 m	14,6 kg	14

Customs tariff number: 64039993900

Country of origin: China