NITRAS SAFETY

// ENSURESAFETY

# 7308 // TOUGH STEP MID FIT

Boots

PPE risk category II



With dial-fastener 711 // FIT SYSTEM

Durable grain leather

Highest slip resistance

S7S CI FO LG SR DGUV RULE 112-191 TYPE 1 FIT SYSTEM 713 779

VERSION 1.0.16 | 261028

# 7308 // TOUGH STEP MID FIT

| | |
|---|---|
| **Shoe upper:** | Grain leather, brown / black |
| **Outsole:** | PU / TPU, grey / transparent |
| **Size(s):** | 35-50 |
| **Packaging unit:** | 10 pair(s) |
| **Certification:** | EN ISO 20345 |

NITRAS TOUGH STEP MID FIT, safety boots, half-height, S7S CI FO LG SR, durable grain leather, tough and non-marking PU / TPU outsole, grey / transparent (colour code: 5010), fiberglass toe cap, textile perforation resistant midsole, metal-free, ergonomic insocks, with dial fastener 713 // FIT SYSTEM for fast availability and optimal fit, highest slip resistance (SR), width 11, well padded bootleg for optimal fit and comfort, reflective stripes on sides, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, DGUV rule 112-191-certified, ESD-capable, PPE risk category II

EN ISO 20345 EN IEC 61340-4-3

S7S CI FO LG SR DGUV RULE 112-191 TYPE 1 779

## Industries

- Craft
- Building / Construction
- Landscape gardening
- Waste management
- Transport / Logistics
- Refrigeration range

## Advantages

+ With dial-fastener 711 // FIT SYSTEM
+ Durable grain leather
+ Highest slip resistance



**Further images**





## Additional information

### Miscellaneous

| | |
|---|---|
| Weight (g) | 779 |

### Logistics data

| Size | GTIN (SPU) | GTIN (PU) | Length (m) | Width (m) | Height (m) | Weight (kg) | Quantity PU / pallet |
|---|---|---|---|---|---|---|---|
| 35 | 4059904208476 | 4059904208636 | 0,59 m | 0,5 m | 0,325 m | 12,3 kg | 14 |
| 36 | 4059904208483 | 4059904208643 | 0,59 m | 0,5 m | 0,325 m | 12,5 kg | 14 |
| 37 | 4059904208490 | 4059904208650 | 0,59 m | 0,5 m | 0,325 m | 12,7 kg | 14 |
| 38 | 4059904208506 | 4059904208667 | 0,59 m | 0,5 m | 0,325 m | 12,9 kg | 14 |
| 39 | 4059904208513 | 4059904208674 | 0,59 m | 0,5 m | 0,325 m | 13,1 kg | 14 |
| 40 | 4059904208520 | 4059904208681 | 0,59 m | 0,5 m | 0,325 m | 13,3 kg | 14 |
| 41 | 4059904208537 | 4059904208698 | 0,59 m | 0,5 m | 0,325 m | 13,5 kg | 14 |
| 42 | 4059904208544 | 4059904208704 | 0,59 m | 0,5 m | 0,325 m | 13,7 kg | 14 |
| 43 | 4059904208551 | 4059904208711 | 0,615 m | 0,52 m | 0,355 m | 13,9 kg | 14 |
| 44 | 4059904208568 | 4059904208728 | 0,615 m | 0,52 m | 0,355 m | 14,1 kg | 14 |
| 45 | 4059904208575 | 4059904208735 | 0,615 m | 0,52 m | 0,355 m | 14,3 kg | 14 |
| 46 | 4059904208582 | 4059904208742 | 0,615 m | 0,52 m | 0,355 m | 14,5 kg | 14 |
| 47 | 4059904208599 | 4059904208759 | 0,615 m | 0,52 m | 0,355 m | 14,7 kg | 14 |
| 48 | 4059904208605 | 4059904208766 | 0,615 m | 0,52 m | 0,355 m | 14,9 kg | 14 |
| 49 | 4059904208612 | 4059904208773 | 0,64 m | 0,54 m | 0,375 m | 15,1 kg | 14 |
| 50 | 4059904208629 | 4059904208780 | 0,64 m | 0,54 m | 0,375 m | 15,3 kg | 14 |

Customs tariff number: 64039113900
Country of origin: China



AS Arbeitsschutz GmbH | Heinrich-Hertz-Str. 11 | 50181 Bedburg | Germany

+49 2272 9060 0 info@nitras-safety.com www.nitras-safety.com

NITRAS SAFETY nitras_safety NITRAS SAFETY PRODUCTS NITRAS SAFETY

All information provided is correct as of the date indicated. If you have any queries or require up-to-date information, please do not hesitate to contact us at any time. All information without guarantee.