

7312 // EASY STEP SA

Sandals
PPE risk category II



Metal-free
Highest slip resistance (SRC)
Hook and loop fastener

S1 **P** **SRC** **MF** OGUV RULE 112:191 TYPE 1     640

7312 // EASY STEP SA



Shoe upper:	Suede leather, black
Outsole:	PU / TPU, black / transparent
Size(s):	35-50
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345

NITRAS EASY STEP SA, safety sandals, S1 P, durable suede leather, black (colour code: 1000), tough and non-marking PU / TPU outsole, black / transparent, fibreglass toe cap, textile perforation resistant midsole, metal-free, premium COMFORT STEP insoles, ergonomically formed, appealing design, highest slip resistance (SRC), width 11, hook and loop fastener, reflective elements, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, DGUV Rule 112-191-proofed, Type 1, ESD-capable, PPE risk category II

EN ISO 20345

EN IEC 61340-4-3



Industries

-  Craft
-  Automotive manufacturing
-  Commissioning / shipping
-  Events

Advantages

- + Metal-free
- + Highest slip resistance (SRC)
- + Hook and loop fastener



Further images



Additional information

Miscellaneous

Weight (g) 640

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
35	4059904121300	4059904121331	0,6 m	0,47 m	0,34 m	13,37 kg	12
36	4059904102316	4059904102323	0,61 m	0,48 m	0,35 m	13,88 kg	20
37	4059904102330	4059904102347	0,61 m	0,48 m	0,35 m	13,87 kg	12
38	4059904102354	4059904102361	0,62 m	0,48 m	0,34 m	14,54 kg	10
39	4059904102378	4059904102385	0,61 m	0,48 m	0,35 m	14,82 kg	10
40	4059904102392	4059904102408	0,6 m	0,48 m	0,34 m	15,45 kg	10
41	4059904102415	4059904102422	0,61 m	0,48 m	0,34 m	16,17 kg	11
42	4059904102439	4059904102446	0,61 m	0,49 m	0,34 m	16,2 kg	12
43	4059904102453	4059904102460	0,64 m	0,5 m	0,37 m	17,52 kg	11
44	4059904102477	4059904102484	0,63 m	0,5 m	0,37 m	18,1 kg	20
45	4059904102491	4059904102507	0,64 m	0,49 m	0,37 m	19,06 kg	11
46	4059904102514	4059904102521	0,63 m	0,5 m	0,38 m	19,41 kg	11
47	4059904102538	4059904102545	0,65 m	0,51 m	0,37 m	19,52 kg	20
48	4059904102552	4059904102569	0,65 m	0,5 m	0,38 m	19,98 kg	14
49	4059904121317	4059904121348	0,7 m	0,52 m	0,39 m	21,43 kg	14
50	4059904121324	4059904121355	0,68 m	0,51 m	0,4 m	20,82 kg	14

Customs tariff number: 64039993900

Country of origin: China