

7410 // PRO STEP

Low shoes
PPE risk category II



Seamless upper
Highest slip resistance (SRC)
ESD-capable

S1 **P** **SRC** **MF** OGUV RULE 112-191 TYPE 1    **529**

7410 // PRO STEP



Shoe upper:	Textile, black / red
Outsole:	Nitrile / EVA, black / grey
Size(s):	36-48
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345

NITRAS PRO STEP, safety shoes, S1 P, durable textile, black / red (colour code: 1060), seamless upper, tough nitrile / EVA outsole, black / grey, fibreglass toe cap, textile perforation resistant midsole, metal-free, premium COMFORT STEP insoles, ergonomically formed, sporty design, highest slip resistance (SRC), width 11, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, DGUV Rule 112-191-proofed, Type 1, ESD-capable, PPE risk category II

EN ISO 20345

EN IEC 61340-4-3



Industries

-  Craft
-  Building / Construction
-  Automotive manufacturing
-  Commissioning / shipping
-  Transport / Logistics
-  Events

Advantages

- + Seamless upper
- + Highest slip resistance (SRC)
- + ESD-capable



Further images



Colour variants



7410 // PRO STEP
Colour code: 1060



7413 // PRO STEP
Colour code: 1012

Additional information

Miscellaneous

Weight (g) 529

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
36	4059904098640	4059904098657	0,64 m	0,5 m	0,37 m	12 kg	12
37	4059904098664	4059904098671	0,62 m	0,46 m	0,34 m	12,15 kg	12
38	4059904098688	4059904098695	0,63 m	0,48 m	0,36 m	12,33 kg	12
39	4059904098701	4059904098718	0,62 m	0,46 m	0,36 m	12,58 kg	12
40	4059904098725	4059904098732	0,62 m	0,36 m	0,47 m	12,89 kg	12
41	4059904098749	4059904098756	0,66 m	0,37 m	0,46 m	13,44 kg	12
42	4059904098763	4059904098770	0,63 m	0,36 m	0,46 m	14,38 kg	12
43	4059904098787	4059904098794	0,63 m	0,37 m	0,46 m	14,42 kg	12
44	4059904098800	4059904098817	0,67 m	0,41 m	0,47 m	15,01 kg	10
45	4059904098824	4059904098831	0,67 m	0,39 m	0,48 m	15,53 kg	10
46	4059904098848	4059904098855	0,7 m	0,4 m	0,47 m	15,96 kg	10
47	4059904098862	4059904098879	0,67 m	0,4 m	0,48 m	16,42 kg	10
48	4059904098886	4059904098893	0,68 m	0,4 m	0,48 m	16,61 kg	10

Customs tariff number: 64041990000

Country of origin: China