

7413 // PRO STEP

Low shoes
PPE risk category II



Seamless upper
Highest slip resistance (SRC)
ESD-capable



7413 // PRO STEP



Shoe upper:	Textile, black / grey
Outsole:	Nitrile / EVA, black / grey
Size(s):	36-48
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345

NITRAS PRO STEP, safety shoes, S1 P, durable textile, black / grey (colour code: 1012), seamless upper, tough nitrile / EVA outsole, black / grey, fibreglass toe cap, textile perforation resistant midsole, metal-free, premium COMFORT STEP insoles, ergonomically formed, sporty design, highest slip resistance (SRC), width 11, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, DGUV Rule 112-191-proofed, Type 1, ESD-capable, PPE risk category II

EN ISO 20345

EN IEC 61340-4-3



Industries

-  Craft
-  Building / Construction
-  Automotive manufacturing
-  Commissioning / shipping
-  Transport / Logistics
-  Events

Advantages

- + Seamless upper
- + Highest slip resistance (SRC)
- + ESD-capable



Further images



Colour variants



7413 // PRO STEP
Colour code: 1012



7410 // PRO STEP
Colour code: 1060

Additional information

Miscellaneous

Weight (g) 529

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
36	4059904173712	4059904173842	0,636 m	0,498 m	0,365 m	11,999 kg	14
37	4059904173729	4059904173859	0,636 m	0,498 m	0,365 m	12,154 kg	14
38	4059904173736	4059904173866	0,625 m	0,478 m	0,355 m	12,325 kg	14
39	4059904173743	4059904173873	0,625 m	0,478 m	0,355 m	12,581 kg	14
40	4059904173750	4059904173880	0,625 m	0,478 m	0,355 m	12,885 kg	14
41	4059904173767	4059904173897	0,659 m	0,457 m	0,367 m	13,439 kg	14
42	4059904173774	4059904173903	0,659 m	0,457 m	0,367 m	14,381 kg	14
43	4059904173781	4059904173910	0,659 m	0,457 m	0,367 m	14,416 kg	14
44	4059904173798	4059904173927	0,672 m	0,47 m	0,406 m	15,011 kg	14
45	4059904173804	4059904173934	0,672 m	0,47 m	0,406 m	15,526 kg	14
46	4059904173811	4059904173941	0,697 m	0,47 m	0,406 m	15,964 kg	14
47	4059904173828	4059904173958	0,697 m	0,475 m	0,406 m	16,417 kg	14
48	4059904173835	4059904173965	0,697 m	0,475 m	0,406 m	16,61 kg	14

Customs tariff number: 64041990000

Country of origin: China