

7413 // PRO STEP

PPE risk category II



Seamless upper
Highest slip resistance (SRC)
ESD-capable



7413 // PRO STEP



Shoe upper:	Textile, black / blue
Outsole:	Nitrile / EVA, black / grey
Size(s):	36-48
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345







NITRAS PRO STEP, safety shoes, S1 P, durable textile, black / blue (colour code: 1022), seamless upper, tough nitrile / EVA outsole, black / blue, fibreglass toe cap, textile perforation resistant midsole, metal-free, premium COMFORT STEP insoles, ergonomically formed, sporty design, highest slip resistance (SRC), width 11, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, DGUV Rule 112-191-proofed, Type 1, ESD-capable, PPE risk category II

EN ISO 20345

EN IEC 61340-4-3



Industries

-  Craft
-  Building / Construction
-  Automotive manufacturing
-  Commissioning / shipping
-  Transport / Logistics
-  Events

Advantages

- + Seamless upper
- + Highest slip resistance (SRC)
- + ESD-capable



Further images



Colour variants



7410 // PRO STEP
Colour code: 1060



7413 // PRO STEP
Colour code: 1012

Additional information

Miscellaneous

Weight (g) 529

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
36	4059904174238	4059904174368	0,636 m	0,498 m	0,365 m	11,999 kg	14
37	4059904174245	4059904174375	0,617 m	0,464 m	0,342 m	12,154 kg	14
38	4059904174252	4059904174382	0,625 m	0,478 m	0,355 m	12,325 kg	14
39	4059904174269	4059904174399	0,625 m	0,478 m	0,355 m	12,581 kg	14
40	4059904174276	4059904174405	0,618 m	0,465 m	0,362 m	12,885 kg	14
41	4059904174283	4059904174412	0,659 m	0,457 m	0,367 m	13,439 kg	14
42	4059904174290	4059904174429	0,627 m	0,455 m	0,359 m	14,381 kg	14
43	4059904174306	4059904174436	0,63 m	0,457 m	0,365 m	14,416 kg	14
44	4059904174313	4059904174443	0,672 m	0,47 m	0,406 m	15,011 kg	14
45	4059904174320	4059904174450	0,674 m	0,475 m	0,392 m	15,526 kg	14
46	4059904174337	4059904174467	0,697 m	0,467 m	0,398 m	15,964 kg	14
47	4059904174344	4059904174474	0,674 m	0,475 m	0,402 m	16,417 kg	14
48	4059904174351	4059904174481	0,679 m	0,475 m	0,4 m	16,61 kg	14

Customs tariff number: 64041990000

Country of origin: China