

# 7430 // DYNAMIC STEP

Low shoes  
PPE risk category II



Excellent cushioning and energy recovery  
Additional toe cap  
High-quality insoles



S3S

CI

FO

LG

SR



**PRONAMICS**

581

## 7430 // DYNAMIC STEP



<b>Shoe upper:</b>	Grain leather, black
<b>Outsole:</b>	PU / TPU, black / grey
<b>Size(s):</b>	35-50
<b>Packaging unit:</b>	10 pair(s)
<b>Certification:</b>	EN ISO 20345

NITRAS DYNAMIC STEP, safety shoes, S3S CI FO LG, hard-wearing artificial leather / textile, black, resistant PU / PU outsole, black / grey (colour code: 1012), carbon toe cap, perforation resistant textile midsole, metal-free, high-quality insocks, ergonomically shaped, PRONAMICS technology, excellent cushioning and energy recovery, attractive design, best possible slip resistance (SR), width 11, heel lining for easy donning and doffing and heel reinforcement made from robust microfibre, additional toe cap, premium quality, DGV rule 112-191-tested, type 1, ESD-capable, PPE risk category II

EN ISO 20345

EN IEC 61340-4-3



S3S

CI

FO

LG

SR



PRONAMICS



### Industries

-  Craft
-  Building / Construction
-  Landscape gardening
-  Waste management
-  Refrigeration range

### Advantages

- + Excellent cushioning and energy recovery
- + Additional toe cap
- + High-quality insocks



Further images

---



**Additional information**

---

**Miscellaneous**

Weight (g) 581

**Logistics data**

---

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
35	4059904126060	4059904126077	0,6 m	0,5 m	0,35 m	15 kg	
36	4059904126084	4059904126091	0,6 m	0,5 m	0,35 m	15 kg	
37	4059904125278	4059904125285	0,6 m	0,5 m	0,35 m	15 kg	
38	4059904123854	4059904123953	0,6 m	0,5 m	0,35 m	15 kg	
39	4059904123861	4059904123960	0,6 m	0,5 m	0,35 m	15 kg	
40	4059904123878	4059904123977	0,6 m	0,5 m	0,35 m	15 kg	
41	4059904123885	4059904123984	0,6 m	0,5 m	0,35 m	15 kg	
42	4059904123892	4059904123991	0,6 m	0,5 m	0,35 m	15 kg	
43	4059904123908	4059904124004	0,6 m	0,5 m	0,35 m	15 kg	
44	4059904123915	4059904124011	0,6 m	0,5 m	0,35 m	15 kg	
45	4059904123922	4059904124028	0,6 m	0,5 m	0,35 m	15 kg	
46	4059904123939	4059904124035	0,6 m	0,5 m	0,35 m	15 kg	
47	4059904123946	4059904124042	0,6 m	0,5 m	0,35 m	15 kg	
48	4059904126107	4059904126114	0,6 m	0,5 m	0,35 m	15 kg	
49	4059904126121	4059904126138	0,6 m	0,5 m	0,35 m	15 kg	
50	4059904126145	4059904126152	0,6 m	0,5 m	0,35 m	15 kg	

Customs tariff number: 64041990000

Country of origin: China