

# 7430 // DYNAMIC STEP

Low shoes  
PPE risk category II



Excellent cushioning and energy recovery  
Additional toe cap  
High-quality insoles



**S3S**

**CI**

**FO**

**LG**

**SR**



**PRONAMICS**

581

## 7430 // DYNAMIC STEP



|                 |                        |
|-----------------|------------------------|
| Shoe upper:     | Grain leather, black   |
| Outsole:        | PU / TPU, black / grey |
| Size(s):        | 35-50                  |
| Packaging unit: | 10 pair(s)             |
| Certification:  | EN ISO 20345           |

NITRAS DYNAMIC STEP, safety shoes, S3S CI FO LG, hard-wearing artificial leather / textile, black, resistant PU / PU outsole, black / grey (colour code: 1012), carbon toe cap, perforation resistant textile midsole, metal-free, high-quality insoles, ergonomically shaped, PRONAMICS technology, excellent cushioning and energy recovery, attractive design, best possible slip resistance (SR), width 11, heel lining for easy donning and doffing and heel reinforcement made from robust microfibre, additional toe cap, premium quality, DGV rule 112-191-tested, type 1, ESD-capable, PPE risk category II

EN ISO 20345

EN IEC 61340-4-3



S3S

CI

FO

LG

SR



PRONAMICS



581

### Industries

-  Craft
-  Building / Construction
-  Landscape gardening
-  Waste management
-  Refrigeration range

### Advantages

- + Excellent cushioning and energy recovery
- + Additional toe cap
- + High-quality insoles



Further images

---



## Additional information

### Miscellaneous

Weight (g) 581

### Logistics data

| Size | GTIN (SPU)    | GTIN (PU)     | Length (m) | Width (m) | Height (m) | Weight (kg) | Quantity PU /<br>pallet |
|------|---------------|---------------|------------|-----------|------------|-------------|-------------------------|
| 35   | 4059904126060 | 4059904126077 | 0,6 m      | 0,5 m     | 0,35 m     | 15 kg       |                         |
| 36   | 4059904126084 | 4059904126091 | 0,6 m      | 0,5 m     | 0,35 m     | 15 kg       |                         |
| 37   | 4059904125278 | 4059904125285 | 0,6 m      | 0,5 m     | 0,35 m     | 15 kg       |                         |
| 38   | 4059904123854 | 4059904123953 | 0,6 m      | 0,5 m     | 0,35 m     | 15 kg       |                         |
| 39   | 4059904123861 | 4059904123960 | 0,6 m      | 0,5 m     | 0,35 m     | 15 kg       |                         |
| 40   | 4059904123878 | 4059904123977 | 0,6 m      | 0,5 m     | 0,35 m     | 15 kg       |                         |
| 41   | 4059904123885 | 4059904123984 | 0,6 m      | 0,5 m     | 0,35 m     | 15 kg       |                         |
| 42   | 4059904123892 | 4059904123991 | 0,6 m      | 0,5 m     | 0,35 m     | 15 kg       |                         |
| 43   | 4059904123908 | 4059904124004 | 0,6 m      | 0,5 m     | 0,35 m     | 15 kg       |                         |
| 44   | 4059904123915 | 4059904124011 | 0,6 m      | 0,5 m     | 0,35 m     | 15 kg       |                         |
| 45   | 4059904123922 | 4059904124028 | 0,6 m      | 0,5 m     | 0,35 m     | 15 kg       |                         |
| 46   | 4059904123939 | 4059904124035 | 0,6 m      | 0,5 m     | 0,35 m     | 15 kg       |                         |
| 47   | 4059904123946 | 4059904124042 | 0,6 m      | 0,5 m     | 0,35 m     | 15 kg       |                         |
| 48   | 4059904126107 | 4059904126114 | 0,6 m      | 0,5 m     | 0,35 m     | 15 kg       |                         |
| 49   | 4059904126121 | 4059904126138 | 0,6 m      | 0,5 m     | 0,35 m     | 15 kg       |                         |
| 50   | 4059904126145 | 4059904126152 | 0,6 m      | 0,5 m     | 0,35 m     | 15 kg       |                         |

Customs tariff number: 64041990000

Country of origin: China