

7430 // DYNAMIC STEP

Low shoes
PPE risk category II



Excellent cushioning and energy recovery
Additional toe cap
High-quality insoles



S3S

CI

FO

LG

SR



PRONAMICS

MF



581

7430 // DYNAMIC STEP



Shoe upper:	Grain leather, black
Outsole:	PU / TPU, black / grey
Size(s):	35-50
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345

NITRAS DYNAMIC STEP, safety shoes, S3S CI FO LG, hard-wearing artificial leather / textile, black, resistant PU / PU outsole, black / grey (colour code: 1012), carbon toe cap, perforation resistant textile midsole, metal-free, high-quality insoles, ergonomically shaped, PRONAMICS technology, excellent cushioning and energy recovery, attractive design, best possible slip resistance (SR), width 11, heel lining for easy donning and doffing and heel reinforcement made from robust microfibre, additional toe cap, premium quality, DGUV rule 112-191-tested, type 1, ESD-capable, PPE risk category II

EN ISO 20345

EN IEC 61340-4-3


S3S
CI
FO
LG
SR

PRONAMICS
MF


581

Industries

-  Craft
-  Building / Construction
-  Landscape gardening
-  Waste management
-  Refrigeration range

Advantages

- + Excellent cushioning and energy recovery
- + Additional toe cap
- + High-quality insoles



Further images



Additional information

Miscellaneous

Weight (g) 581

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
35	4059904126060	4059904126077	0,6 m	0,5 m	0,35 m	15 kg	
36	4059904126084	4059904126091	0,6 m	0,5 m	0,35 m	15 kg	
37	4059904125278	4059904125285	0,6 m	0,5 m	0,35 m	15 kg	
38	4059904123854	4059904123953	0,6 m	0,5 m	0,35 m	15 kg	
39	4059904123861	4059904123960	0,6 m	0,5 m	0,35 m	15 kg	
40	4059904123878	4059904123977	0,6 m	0,5 m	0,35 m	15 kg	
41	4059904123885	4059904123984	0,6 m	0,5 m	0,35 m	15 kg	
42	4059904123892	4059904123991	0,6 m	0,5 m	0,35 m	15 kg	
43	4059904123908	4059904124004	0,6 m	0,5 m	0,35 m	15 kg	
44	4059904123915	4059904124011	0,6 m	0,5 m	0,35 m	15 kg	
45	4059904123922	4059904124028	0,6 m	0,5 m	0,35 m	15 kg	
46	4059904123939	4059904124035	0,6 m	0,5 m	0,35 m	15 kg	
47	4059904123946	4059904124042	0,6 m	0,5 m	0,35 m	15 kg	
48	4059904126107	4059904126114	0,6 m	0,5 m	0,35 m	15 kg	
49	4059904126121	4059904126138	0,6 m	0,5 m	0,35 m	15 kg	
50	4059904126145	4059904126152	0,6 m	0,5 m	0,35 m	15 kg	

Customs tariff number: 64041990000

Country of origin: China