

7430 // DYNAMIC STEP

Low shoes
PPE risk category II



Excellent cushioning and energy recovery
Additional toe cap
High-quality insoles



S3S

CI

FO

LG

SR

EN ISO 20345
TYPE 1



PRONAMICS

MF

581



7430 // DYNAMIC STEP



Shoe upper:	Grain leather, black
Outsole:	PU / TPU, black / grey
Size(s):	35-50
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345

NITRAS DYNAMIC STEP, safety shoes, S3S CI FO LG, hard-wearing artificial leather / textile, black, resistant PU / PU outsole, black / grey (colour code: 1012), carbon toe cap, perforation resistant textile midsole, metal-free, high-quality insoles, ergonomically shaped, PRONAMICS technology, excellent cushioning and energy recovery, attractive design, best possible slip resistance (SR), width 11, heel lining for easy donning and doffing and heel reinforcement made from robust microfibre, additional toe cap, premium quality, DGUV rule 112-191-tested, type 1, ESD-capable, PPE risk category II

EN ISO 20345

EN IEC 61340-4-3


S3S
CI
FO
LG
SR

PRONAMICS
MF


581

Industries

-  Craft
-  Building / Construction
-  Landscape gardening
-  Waste management
-  Refrigeration range

Advantages

- + Excellent cushioning and energy recovery
- + Additional toe cap
- + High-quality insoles

Additional information

Miscellaneous

Weight (g) 581

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
35	4059904201842	4059904202009	0,6 m	0,5 m	0,35 m	15 kg	
36	4059904201859	4059904202016	0,6 m	0,5 m	0,35 m	15 kg	
37	4059904201866	4059904202023	0,6 m	0,5 m	0,35 m	15 kg	
38	4059904201873	4059904202030	0,6 m	0,5 m	0,35 m	15 kg	
39	4059904201880	4059904202047	0,6 m	0,5 m	0,35 m	15 kg	
40	4059904201897	4059904202054	0,6 m	0,5 m	0,35 m	15 kg	
41	4059904201903	4059904202061	0,6 m	0,5 m	0,35 m	15 kg	
42	4059904201910	4059904202078	0,6 m	0,5 m	0,35 m	15 kg	
43	4059904201927	4059904202085	0,6 m	0,5 m	0,35 m	15 kg	
44	4059904201934	4059904202092	0,6 m	0,5 m	0,35 m	15 kg	
45	4059904201941	4059904202108	0,6 m	0,5 m	0,35 m	15 kg	
46	4059904201958	4059904202115	0,6 m	0,5 m	0,35 m	15 kg	
47	4059904201965	4059904202122	0,6 m	0,5 m	0,35 m	15 kg	
48	4059904201972	4059904202139	0,6 m	0,5 m	0,35 m	15 kg	
49	4059904201989	4059904202146	0,6 m	0,5 m	0,35 m	15 kg	
50	4059904201996	4059904202153	0,6 m	0,5 m	0,35 m	15 kg	

Customs tariff number: 64041990000

Country of origin: China