

7431 // DYNAMIC STEP MID

Boots
PPE risk category II



Excellent cushioning and energy recovery
Additional toe cap
High-quality insoles



S3S

CI

FO

LG

SR



PRONAMICS

MF



613

7431 // DYNAMIC STEP MID



Shoe upper:	Grain leather, black
Outsole:	PU / TPU, black / grey
Size(s):	35-50
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345

NITRAS DYNAMIC STEP MID, safety boots, mid-height, S3S CI FO LG, hard-wearing artificial leather / textile, black, resistant PU / PU outsole, black / grey (colour code: 1012), carbon toe cap, perforation resistant textile midsole, metal-free, high-quality insoles, ergonomically shaped, PRONAMICS technology, excellent cushioning and energy recovery, attractive design, best possible slip resistance (SR), Width 11, well-padded shaft for the best possible support and comfort, heel lining for easy donning and doffing and heel reinforcement made from robust microfibre, additional toe cap, premium quality, DGV rule 112-191-tested, type 1, ESD-capable, PPE risk category II

EN ISO 20345

EN IEC 61340-4-3



1



S3S

CI

FO

LG

SR



PRONAMICS

MF

613



Industries



Craft



Building / Construction



Landscape gardening



Waste management



Refrigeration range

Advantages

- + Excellent cushioning and energy recovery
- + Additional toe cap
- + High-quality insoles



Further images



Additional information

Miscellaneous

Weight (g) 613

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
35	4059904202160	4059904202320	0,6 m	0,5 m	0,35 m	15 kg	
36	4059904202177	4059904202337	0,6 m	0,5 m	0,35 m	15 kg	
37	4059904202184	4059904202344	0,6 m	0,5 m	0,35 m	15 kg	
38	4059904202191	4059904202351	0,6 m	0,5 m	0,35 m	15 kg	
39	4059904202207	4059904202368	0,6 m	0,5 m	0,35 m	15 kg	
40	4059904202214	4059904202375	0,6 m	0,5 m	0,35 m	15 kg	
41	4059904202221	4059904202382	0,6 m	0,5 m	0,35 m	15 kg	
42	4059904202238	4059904202399	0,6 m	0,5 m	0,35 m	15 kg	
43	4059904202245	4059904202405	0,6 m	0,5 m	0,35 m	15 kg	
44	4059904202252	4059904202412	0,6 m	0,5 m	0,35 m	15 kg	
45	4059904202269	4059904202429	0,6 m	0,5 m	0,35 m	15 kg	
46	4059904202276	4059904202436	0,6 m	0,5 m	0,35 m	15 kg	
47	4059904202283	4059904202443	0,6 m	0,5 m	0,35 m	15 kg	
48	4059904202290	4059904202450	0,6 m	0,5 m	0,35 m	15 kg	
49	4059904202306	4059904202467	0,6 m	0,5 m	0,35 m	15 kg	
50	4059904202313	4059904202474	0,6 m	0,5 m	0,35 m	15 kg	

Customs tariff number: 64041990000

Country of origin: China