

# 7435 // SOLID STEP

Low shoes  
PPE risk category II



Metal-free  
Modern design  
Highest slip resistance (SR)



## 7435 // SOLID STEP



|                 |                |
|-----------------|----------------|
| Shoe upper:     | Textile, black |
| Outsole:        | PU / PU        |
| Size(s):        | 35-50          |
| Packaging unit: | 10 pair(s)     |
| Certification:  | EN ISO 20345   |

NITRAS SOLID STEP, safety shoes, S3S CI FO, durable upper, black, tough PU / PU outsole, black / grey (colour code: 1012), fibreglass toe cap, textile perforation resistant midsole, metal-free, premium COMFORT STEP insoles, ergonomically formed, modern design, highest slip resistance (SR), width 11, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, additional toe cap, DGUV Rule 112-191-protected, Type 1, Type 2, ESD-capable, PPE risk category II

EN ISO 20345

EN IEC 61340-4-3



### Industries

-  Craft
-  Building / Construction
-  Landscape gardening
-  Waste management
-  Refrigeration range

### Advantages

- + Metal-free
- + Modern design
- + Highest slip resistance (SR)



Further images

---



Colour variants

---



**7435 // SOLID STEP**  
Colour code: 1012



**7435 // SOLID STEP**  
Colour code: 1022

## Additional information

### Miscellaneous

Weight (g) 585

### Logistics data

| Size | GTIN (SPU)    | GTIN (PU)     | Length (m) | Width (m) | Height (m) | Weight (kg) | Quantity PU / pallet |
|------|---------------|---------------|------------|-----------|------------|-------------|----------------------|
| 35   | 4059904193079 | 4059904193086 | 0,59 m     | 0,5 m     | 0,325 m    | 11 kg       | 12                   |
| 36   | 4059904193093 | 4059904193109 | 0,59 m     | 0,5 m     | 0,325 m    | 11,2 kg     | 12                   |
| 37   | 4059904193116 | 4059904193123 | 0,59 m     | 0,5 m     | 0,325 m    | 11,4 kg     | 12                   |
| 38   | 4059904193130 | 4059904193147 | 0,59 m     | 0,5 m     | 0,325 m    | 11,6 kg     | 12                   |
| 39   | 4059904193154 | 4059904193161 | 0,59 m     | 0,5 m     | 0,325 m    | 11,8 kg     | 12                   |
| 40   | 4059904193178 | 4059904193185 | 0,59 m     | 0,5 m     | 0,325 m    | 12 kg       | 12                   |
| 41   | 4059904193192 | 4059904193208 | 0,59 m     | 0,5 m     | 0,325 m    | 12,2 kg     | 12                   |
| 42   | 4059904193215 | 4059904193222 | 0,59 m     | 0,5 m     | 0,325 m    | 12,4 kg     | 12                   |
| 43   | 4059904193239 | 4059904193246 | 0,615 m    | 0,52 m    | 0,355 m    | 12,6 kg     | 12                   |
| 44   | 4059904193253 | 4059904193260 | 0,615 m    | 0,52 m    | 0,355 m    | 12,8 kg     | 12                   |
| 45   | 4059904193277 | 4059904193284 | 0,615 m    | 0,52 m    | 0,355 m    | 13 kg       | 12                   |
| 46   | 4059904193291 | 4059904193307 | 0,615 m    | 0,52 m    | 0,355 m    | 13,2 kg     | 12                   |
| 47   | 4059904193314 | 4059904193321 | 0,615 m    | 0,52 m    | 0,355 m    | 13,4 kg     | 12                   |
| 48   | 4059904193338 | 4059904193345 | 0,615 m    | 0,52 m    | 0,355 m    | 13,6 kg     | 12                   |
| 49   | 4059904193352 | 4059904193369 | 0,64 m     | 0,54 m    | 0,375 m    | 13,8 kg     | 12                   |
| 50   | 4059904193376 | 4059904193383 | 0,64 m     | 0,54 m    | 0,375 m    | 14 kg       | 12                   |

Customs tariff number: 64041990000

Country of origin: China