

7435 // SOLID STEP

Low shoes
PPE risk category II



Metal-free
Modern design
Highest slip resistance (SR)

S3S **CI** **FO** **SR** DGUV RULE 112-191 TYPE 1 DGUV RULE 112-191 TYPE 2   **585**

7435 // SOLID STEP



Shoe upper:	Textile, black
Outsole:	PU / PU, grey / black
Size(s):	35-50
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345

NITRAS SOLID STEP, safety shoes, S3S CI FO, durable upper, black, tough PU / PU outsole, black / grey (colour code: 1012), fibreglass toe cap, textile perforation resistant midsole, metal-free, premium COMFORT STEP insoles, ergonomically formed, modern design, highest slip resistance (SR), width 11, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, additional toe cap, DGUV Rule 112-191-proofed, Type 1, Type 2, ESD-capable, PPE risk category II

EN ISO 20345

EN IEC 61340-4-3



Industries

-  Craft
-  Building / Construction
-  Landscape gardening
-  Waste management
-  Refrigeration range

Advantages

- + Metal-free
- + Modern design
- + Highest slip resistance (SR)



Further images



Colour variants



7435 // SOLID STEP
Colour code: 1012



7435 // SOLID STEP
Colour code: 1022

Additional information

Miscellaneous

Weight (g) 585

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
35	4059904193079	4059904193086	0,59 m	0,5 m	0,325 m	11 kg	12
36	4059904193093	4059904193109	0,59 m	0,5 m	0,325 m	11,2 kg	12
37	4059904193116	4059904193123	0,59 m	0,5 m	0,325 m	11,4 kg	12
38	4059904193130	4059904193147	0,59 m	0,5 m	0,325 m	11,6 kg	12
39	4059904193154	4059904193161	0,59 m	0,5 m	0,325 m	11,8 kg	12
40	4059904193178	4059904193185	0,59 m	0,5 m	0,325 m	12 kg	12
41	4059904193192	4059904193208	0,59 m	0,5 m	0,325 m	12,2 kg	12
42	4059904193215	4059904193222	0,59 m	0,5 m	0,325 m	12,4 kg	12
43	4059904193239	4059904193246	0,615 m	0,52 m	0,355 m	12,6 kg	12
44	4059904193253	4059904193260	0,615 m	0,52 m	0,355 m	12,8 kg	12
45	4059904193277	4059904193284	0,615 m	0,52 m	0,355 m	13 kg	12
46	4059904193291	4059904193307	0,615 m	0,52 m	0,355 m	13,2 kg	12
47	4059904193314	4059904193321	0,615 m	0,52 m	0,355 m	13,4 kg	12
48	4059904193338	4059904193345	0,615 m	0,52 m	0,355 m	13,6 kg	12
49	4059904193352	4059904193369	0,64 m	0,54 m	0,375 m	13,8 kg	12
50	4059904193376	4059904193383	0,64 m	0,54 m	0,375 m	14 kg	12

Customs tariff number: 64041990000

Country of origin: China