

7435 // SOLID STEP

Low shoes
PPE risk category II



Metal-free
Modern design
Highest slip resistance (SR)

S3S **CI** **FO** **SR** DGUV RULE 112-191 TYPE 1 DGUV RULE 112-191 TYPE 2   **585**

7435 // SOLID STEP



Shoe upper:	Textile, black
Outsole:	PU / PU, black / blue
Size(s):	35-50
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345

NITRAS SOLID STEP, safety shoes, S3S CI FO, durable upper, black, tough PU / PU outsole, black / blue (colour code: 1022), fibreglass toe cap, textile perforation resistant midsole, metal-free, premium COMFORT STEP insoles, ergonomically formed, modern design, highest slip resistance (SR), width 11, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, additional toe cap, DGUV Rule 112-191-protected, Type 1, Type 2, ESD-capable, PPE risk category II

EN ISO 20345

EN IEC 61340-4-3



Industries

-  Craft
-  Building / Construction
-  Landscape gardening
-  Waste management
-  Refrigeration range

Advantages

- + Metal-free
- + Modern design
- + Highest slip resistance (SR)



Further images



Colour variants



7435 // SOLID STEP
Colour code: 1022



7435 // SOLID STEP
Colour code: 1012

Additional information

Miscellaneous

Weight (g) 585

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
35	4059904193390	4059904193406	0,59 m	0,5 m	0,325 m	11 kg	12
36	4059904193413	4059904193420	0,59 m	0,615 m	0,325 m	11,2 kg	12
37	4059904193437	4059904193444	0,59 m	0,5 m	0,325 m	11,4 kg	12
38	4059904193451	4059904193468	0,59 m	0,5 m	0,325 m	11,6 kg	12
39	4059904193475	4059904193482	0,59 m	0,5 m	0,325 m	11,8 kg	12
40	4059904193499	4059904193505	0,59 m	0,5 m	0,325 m	12 kg	12
41	4059904193512	4059904193529	0,59 m	0,5 m	0,325 m	12,2 kg	12
42	4059904193536	4059904193543	0,59 m	0,5 m	0,325 m	12,4 kg	12
43	4059904193550	4059904193567	0,615 m	0,52 m	0,355 m	12,6 kg	12
44	4059904193574	4059904193581	0,615 m	0,52 m	0,355 m	12,8 kg	12
45	4059904193598	4059904193604	0,615 m	0,52 m	0,355 m	13 kg	12
46	4059904193611	4059904193628	0,615 m	0,52 m	0,355 m	13,2 kg	12
47	4059904193635	4059904193642	0,615 m	0,52 m	0,355 m	13,4 kg	12
48	4059904193659	4059904193666	0,615 m	0,52 m	0,355 m	13,8 kg	12
49	4059904193673	4059904193680	0,64 m	0,54 m	0,375 m	13,8 kg	12
50	4059904193697	4059904193703	0,64 m	0,54 m	0,375 m	14 kg	12

Customs tariff number: 64041990000

Country of origin: China