

7436 // SOLID STEP MID

Boots
PPE risk category II



Durable textile
Highest slip resistance (SR)
Well padded bootleg for optimal fit and comfort

S3S **CI** **FO** **SR** EN ISO 20345:2011 EN ISO 20345:2011 3 643

7436 // SOLID STEP MID



Shoe upper:	Textile, black
Outsole:	PU / PU, black / grey
Size(s):	35-50
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345

NITRAS SOLID STEP MID, safety boots, half-height, S3S CI FO SR, durable upper, black, tough PU / PU outsole, black / grey (colour code: 1012), fibreglass toe cap, textile perforation resistant midsole, metal-free, premium COMFORT STEP insoles, ergonomically formed, modern design, highest slip resistance (SR), width 11, well padded bootleg for optimal fit and comfort, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, additional toe cap, DGVV Rule 112-191-proofed, Type 1, Type 2, ESDcapable, PPE risk category II

EN ISO 20345

EN IEC 61340-4-3



Industries

-  Craft
-  Building / Construction
-  Landscape gardening
-  Waste management
-  Refrigeration range

Advantages

- + Durable textile
- + Highest slip resistance (SR)
- + Well padded bootleg for optimal fit and comfort



Further images



Colour variants



7436 // SOLID STEP MID
Colour code: 1012



7436 // SOLID STEP MID
Colour code: 1022

Additional information

Miscellaneous

Weight (g) 643

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
35	4059904193710	4059904193727	0,59 m	0,5 m	0,325 m	11,4 kg	12
36	4059904193734	4059904193741	0,59 m	0,5 m	0,325 m	11,6 kg	12
37	4059904193758	4059904193765	0,59 m	0,5 m	0,325 m	11,8 kg	12
38	4059904193772	4059904193789	0,59 m	0,5 m	0,325 m	12 kg	12
39	4059904193796	4059904193802	0,59 m	0,5 m	0,325 m	12,2 kg	12
40	4059904193819	4059904193826	0,59 m	0,5 m	0,325 m	12,4 kg	12
41	4059904193833	4059904193840	0,59 m	0,5 m	0,325 m	12,6 kg	12
42	4059904193857	4059904193864	0,59 m	0,5 m	0,325 m	12,8 kg	12
43	4059904193871	4059904193888	0,615 m	0,52 m	0,355 m	13 kg	12
44	4059904193895	4059904193901	0,615 m	0,52 m	0,355 m	13,2 kg	12
45	4059904193918	4059904193925	0,615 m	0,52 m	0,355 m	13,4 kg	12
46	4059904193932	4059904193949	0,615 m	0,52 m	0,355 m	13,6 kg	12
47	4059904193956	4059904193963	0,615 m	0,52 m	0,335 m	13,8 kg	12
48	4059904193970	4059904193987	0,615 m	0,52 m	0,355 m	14 kg	12
49	4059904193994	4059904194007	0,64 m	0,54 m	0,375 m	14,2 kg	12
50	4059904194014	4059904194021	0,64 m	0,54 m	0,375 m	14,4 kg	12

Customs tariff number: 64041990000

Country of origin: China