

7436 // SOLID STEP MID

Boots
PPE risk category II



Durable textile
Highest slip resistance (SR)
Well padded bootleg for optimal fit and comfort

S3S **CI** **FO** **SR** DGUV RULE 112-191 TYPE 1 DGUV RULE 112-191 TYPE 2   **643**

7436 // SOLID STEP MID



Shoe upper:	Textile, black
Outsole:	PU / PU, black / blue
Size(s):	35-50
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345

NITRAS SOLID STEP MID, safety boots, half-height, S3S CI FO SR, durable upper, black, tough PU / PU outsole, black / blue (colour code: 1022), fibreglass toe cap, textile perforation resistant midsole, metal-free, premium COMFORT STEP insoles, ergonomically formed, modern design, highest slip resistance (SR), width 11, well padded bootleg for optimal fit and comfort, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, additional toe cap, DGVU Rule 112-191-protected, Type 1, Type 2, ESD-capable, PPE risk category II

EN ISO 20345

EN IEC 61340-4-3



Industries

-  Craft
-  Building / Construction
-  Landscape gardening
-  Waste management
-  Refrigeration range

Advantages

- + Durable textile
- + Highest slip resistance (SR)
- + Well padded bootleg for optimal fit and comfort



Further images



Colour variants



7436 // SOLID STEP MID
Colour code: 1022



7436 // SOLID STEP MID
Colour code: 1012

Additional information

Miscellaneous

Weight (g) 643

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
35	4059904194038	4059904194045	0,59 m	0,5 m	0,325 m	11,4 kg	12
36	4059904194052	4059904194069	0,59 m	0,5 m	0,32 m	11,2 kg	12
37	4059904194076	4059904194083	0,59 m	0,5 m	0,325 m	11,8 kg	12
38	4059904194090	4059904194106	0,59 m	0,5 m	0,325 m	12 kg	12
39	4059904194113	4059904194120	0,59 m	0,5 m	0,325 m	12,2 kg	12
40	4059904194137	4059904194144	0,59 m	0,5 m	0,325 m	12,4 kg	12
41	4059904194151	4059904194168	0,59 m	0,5 m	0,325 m	12,6 kg	12
42	4059904194175	4059904194182	0,59 m	0,5 m	0,325 m	12,8 kg	12
43	4059904194199	4059904194205	0,615 m	0,52 m	0,355 m	13 kg	12
44	4059904194212	4059904194229	0,615 m	0,52 m	0,355 m	13,2 kg	12
45	4059904194236	4059904194243	0,615 m	0,52 m	0,325 m	13,4 kg	12
46	4059904194250	4059904194267	0,615 m	0,52 m	0,355 m	13,6 kg	12
47	4059904194274	4059904194281	0,615 m	0,52 m	0,355 m	13,8 kg	12
48	4059904194298	4059904194304	0,615 m	0,52 m	0,355 m	14 kg	12
49	4059904194311	4059904194328	0,64 m	0,54 m	0,375 m	14,2 kg	12
50	4059904194335	4059904194342	0,64 m	0,54 m	0,375 m	14,4 kg	12

Customs tariff number: 64041990000

Country of origin: China