NITRAS SAFETY

// ENSURESAFETY

7440 // SONIC STEP

PPE risk category II



Metal-free

Highest slip resistance (SRC)

Heel reinforcement made of robust microfibre

S1 P SRC MF DGUV RULE 112-191 TYPE 1 541

VERSION 1.0.10 | 261120

7440 // SONIC STEP

Shoe upper:	Textile, black / lime
Outsole:	EVA / nitrile, black / lime
Size(s):	36-48
Packaging unit:	10 pair(s)
Certification:	EN ISO 20345

NITRAS SONIC STEP, safety shoes, S1P, durable textile, black / lime, durable EVA / nitrile outsole, black / lime (colour code: 1042), fibreglass toe cap, textile perforation resistant midsole, metal-free, premium COMFORT STEP insocks, ergonomically formed, sporty design, highest slip resistance (SRC), width 11, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, DGUV Rule 112-191-proofed, Type 1, ESD-capable, PPE risk category II

EN ISO 20345 EN IEC 61340-4-3

S1 P SRC MF DGUV RULE 112-191 TYPE 1 541

Industries

- Craft
- Building / Construction
- Automotive manufacturing
- Commissioning / shipping
- Transport / Logistics
- Events

Advantages

+ Metal-free
+ Highest slip resistance (SRC)
+ Heel reinforcement made of robust microfibre



Further images





Additional information

Miscellaneous

Weight (g)	541

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
36	4059904190276	4059904190283	0,59 m	0,46 m	0,325 m	8,6 kg	12
37	4059904190290	4059904190306	0,59 m	0,46 m	0,325 m	8,8 kg	12
38	4059904190313	4059904190320	0,59 m	0,46 m	0,325 m	9 kg	12
39	4059904190337	4059904190344	0,59 m	0,46 m	0,325 m	9,2 kg	12
40	4059904190351	4059904190368	0,59 m	0,46 m	0,325 m	9,4 kg	12
41	4059904190375	4059904190382	0,59 m	0,46 m	0,325 m	9,6 kg	12
42	4059904190436	4059904190443	0,59 m	0,46 m	0,325 m	11,999 kg	12
43	4059904190450	4059904190467	0,615 m	0,57 m	0,355 m	10 kg	12
44	4059904190474	4059904190481	0,615 m	0,57 m	0,355 m	10,2 kg	12
45	4059904190498	4059904190504	0,615 m	0,57 m	0,355 m	10,4 kg	12
46	4059904190511	4059904190528	0,615 m	0,57 m	0,355 m	10,6 kg	12
47	4059904190535	4059904190542	0,615 m	0,57 m	0,355 m	10,8 kg	12
48	4059904190559	4059904190566	0,636 m	0,498 m	0,365 m	11 kg	12

Customs tariff number: 64041990000
Country of origin: China

AS Arbeitsschutz GmbH | Heinrich-Hertz-Str. 11 | 50181 Bedburg | Germany

+49 2272 9060 0 info@nitras-safety.com www.nitras-safety.com

NITRAS SAFETY nitras_safety NITRAS SAFETY PRODUCTS NITRAS SAFETY

All information provided is correct as of the date indicated. If you have any queries or require up-to-date information, please do not hesitate to contact us at any time. All information without guarantee.