

# 7446 // SONIC STEP MID FIT

Boots  
PPE risk category II



Sporty design  
With dial fastener 711 // FIT SYSTEM  
Well padded bootleg for optimal fit and comfort



## 7446 // SONIC STEP MID FIT



<b>Shoe upper:</b>	Split leather, grey   Action Leather, black
<b>Outsole:</b>	EVA / nitrile, black / white
<b>Size(s):</b>	36-48
<b>Packaging unit:</b>	10 pair(s)
<b>Certification:</b>	EN ISO 20345, EN IEC 61340-4-3

NITRAS SONIC STEP MID FIT, safety boots, half-height, S3S FO HRO SC, durable split leather / Action Leather, grey / black, durable EVA / nitrile outsole, black / white (colour code: 1210), fibreglass toe cap, textile perforation resistant midsole, metal-free, premium COMFORT STEP insoles, ergonomically formed, sporty design, with dial fastener 712 // FIT SYSTEM for fast availability and optimal fit, highest slip resistance (SR), width 11, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, well padded bootleg for optimal fit and comfort, DGUV Rule 112-191-proofed, Type 1, ESD-capable, PPE risk category II

EN ISO 20345

EN IEC 61340-4-3



### Industries

-  Craft
-  Building / Construction
-  Landscape gardening
-  Waste management
-  Transport / Logistics

### Advantages

- + Sporty design
- + With dial fastener 711 // FIT SYSTEM
- + Well padded bootleg for optimal fit and comfort



Further images

---



**Additional information**

**Miscellaneous**

Weight (g) 610

**Logistics data**

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
36	4059904209886	4059904210011	0,645 m	0,545 m	0,34 m	13,3 kg	
37	4059904209893	4059904210028	0,645 m	0,545 m	0,34 m	13,5 kg	
38	4059904209909	4059904210035	0,645 m	0,545 m	0,34 m	13,7 kg	
39	4059904209916	4059904210042	0,645 m	0,545 m	0,34 m	13,9 kg	
40	4059904209923	4059904210059	0,645 m	0,545 m	0,34 m	14,1 kg	
41	4059904209930	4059904210066	0,645 m	0,545 m	0,34 m	14,3 kg	
42	4059904209947	4059904210073	0,645 m	0,545 m	0,34 m	14,5 kg	
43	4059904209954	4059904210080	0,67 m	0,595 m	0,37 m	14,7 kg	
44	4059904209961	4059904210097	0,67 m	0,595 m	0,37 m	14,9 kg	
45	4059904209978	4059904210103	0,67 m	0,595 m	0,37 m	15,1 kg	
46	4059904209985	4059904210110	0,67 m	0,595 m	0,37 m	15,3 kg	
47	4059904209992	4059904210127	0,67 m	0,595 m	0,37 m	15,5 kg	
48	4059904210004	4059904210134	0,67 m	0,595 m	0,37 m	15,7 kg	

Customs tariff number: 64039113900

Country of origin: China