

7711 // MOTION TEX PRO FX

Trousers



Very high wearing comfort (2-way stretch)

Elastic waist with raised back

Covered button for product protection



7711 // MOTION TEX PRO FX



Shell fabric:	Polyester / cotton / elastane, royal blue / black
Lining:	-
Size(s):	24-29, 42-68, 90-110
Packaging unit:	10 piece(s)
Certification:	OEKO-TEX STANDARD 100®

NITRAS MOTION TEX PRO FX, long work trousers, royal blue / black (colour code: 2010), 280 g/sqm, breathable material, very high wearing comfort (2-way stretch), elastic waist with raised back, reinforcements on back belt loop and crotch and reinforcements made of CORDURA® on back, knee, leg pockets and ankles, durable triple-stitched seams, covered button for product protection (e.g. scratches), 3M Scotchlite™ Reflective Material for better visibility, versatile and practical equipped: thigh pockets with flaps, ruler pocket, knee pockets for protectors with insertion from above, adjustable hammer loop, D-ring, ID pocket, premium quality, OEKO-TEX STANDARD 100®, Comfort Fit, tool pockets 770P and knee protectors 76K (EN 14404) optionally available



Industries

-  Automotive manufacturing
-  Commissioning / shipping

Advantages

- + Very high wearing comfort (2-way stretch)
- + Elastic waist with raised back
- + Covered button for product protection



Further images



Colour variants



7711 // MOTION TEX PRO FX
Colour code: 2010



7710 // MOTION TEX PRO FX
Colour code: 1000



7712 // MOTION TEX PRO FX
Colour code: 1210

Additional information

	Material	Colour	Grammage
Shell fabric	65% Polyester 33% Cotton 2% Elastane	royal blue / black	280 g/qm



Machine wash 60°C



Do not bleach


Tumble dry, low
temperature


Warm iron



Do not dry clean

Wash separately or with similar colours. Close all zippers before washing and wash inside out. Applies only to non refined products. Do not use fabric softener. Think sustainably and wash at 30° C.

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
24	4059904109926	4059904110885	0,56 m	0,35 m	0,23 m	10,42 kg	24
25	4059904109933	4059904110892	0,56 m	0,36 m	0,24 m	10,63 kg	24
26	4059904109940	4059904110908	0,57 m	0,35 m	0,24 m	11,49 kg	26
27	4059904109957	4059904110915	0,57 m	0,35 m	0,26 m	11,15 kg	24
28	4059904109964	4059904110922	0,57 m	0,34 m	0,26 m	11,44 kg	20
29	4059904109971	4059904110939	0,57 m	0,34 m	0,27 m	12 kg	20
42	4059904082977	4059904082984	0,55 m	0,34 m	0,23 m	10,45 kg	20
44	4059904082991	4059904083004	0,56 m	0,36 m	0,22 m	10,69 kg	24
46	4059904083011	4059904083028	0,56 m	0,34 m	0,22 m	10,93 kg	24
48	4059904083035	4059904083042	0,57 m	0,35 m	0,23 m	11,09 kg	24
50	4059904083059	4059904083066	0,56 m	0,35 m	0,24 m	11,59 kg	24
52	4059904083073	4059904083080	0,56 m	0,34 m	0,24 m	11,45 kg	24
54	4059904083097	4059904083103	0,56 m	0,34 m	0,23 m	11,77 kg	40
56	4059904083110	4059904083127	0,56 m	0,34 m	0,25 m	12,02 kg	20
58	4059904083134	4059904083141	0,57 m	0,35 m	0,26 m	12,46 kg	20
60	4059904083158	4059904083165	0,57 m	0,34 m	0,27 m	12,89 kg	20
62	4059904083172	4059904083189	0,55 m	0,34 m	0,26 m	13,09 kg	24
64	4059904083196	4059904083202	0,57 m	0,36 m	0,27 m	13,24 kg	24
66	4059904083219	4059904083226	0,57 m	0,34 m	0,27 m	13,6 kg	26
68	4059904083233	4059904083240	0,57 m	0,35 m	0,27 m	13,73 kg	24
90	4059904109988	4059904110946	0,54 m	0,35 m	0,23 m	10,96 kg	24
94	4059904109995	4059904110953	0,56 m	0,36 m	0,23 m	10,56 kg	24
98	4059904110007	4059904110960	0,56 m	0,35 m	0,24 m	10,87 kg	24
102	4059904110014	4059904110977	0,56 m	0,37 m	0,27 m	11,26 kg	24
106	4059904110021	4059904110984	0,55 m	0,38 m	0,26 m	12,12 kg	24
110	4059904110038	4059904110991	0,56 m	0,35 m	0,27 m	12,02 kg	24

Customs tariff number: 62034311000

Country of origin: India

AS Arbeitsschutz GmbH | Heinrich-Hertz-Str. 11 | 50181 Bedburg | Germany

+49 2272 9060 0

info@nitrassafety.com

www.nitrassafety.com

NITRAS SAFETY

nitrassafety

NITRAS SAFETY PRODUCTS

NITRAS SAFETY

All information provided is correct as of the date indicated. If you have any queries or require up-to-date information, please do not hesitate to contact us at any time. All information without guarantee.