

7712 // MOTION TEX PRO FX

Trousers



Very high wearing comfort (2-way stretch)

Elastic waist with raised back

Covered button for product protection



7712 // MOTION TEX PRO FX



Shell fabric:	Polyester / cotton / elastane, grey / black
Lining:	-
Size(s):	24-29, 42-68, 90-110
Packaging unit:	10 piece(s)
Certification:	OEKO-TEX STANDARD 100®

NITRAS MOTION TEX PRO FX, long work trousers, grey / black (colour code: 1210), 280 g/sqm, breathable material, very high wearing comfort (2-way stretch), elastic waist with raised back, reinforcements on back belt loop and crotch and reinforcements made of CORDURA® on back, knee, leg pockets and ankles, durable triple-stitched seams, covered button for product protection (e.g. scratches), 3M Scotchlite™ Reflective Material for better visibility, versatile and practical equipped: thigh pockets with flaps, ruler pocket, knee pockets for protectors with insertion from above, adjustable hammer loop, D-ring, ID pocket, premium quality, OEKO-TEX STANDARD 100®, Comfort Fit, tool pockets 770P and knee protectors 76K (EN 14404) optionally available



Industries

-  Craft
-  Building / Construction
-  Automotive manufacturing
-  Cleaning / Facility management
-  Commissioning / shipping

Advantages

- + Very high wearing comfort (2-way stretch)
- + Elastic waist with raised back
- + Covered button for product protection



Further images



Colour variants



7712 // MOTION TEX PRO FX
Colour code: 1210



7710 // MOTION TEX PRO FX
Colour code: 1000



7711 // MOTION TEX PRO FX
Colour code: 2010

Additional information

	Material	Colour	Grammage
Shell fabric	65% Polyester 33% Cotton 2% Elastane	grey / black	280 g/qm



Machine wash 60°C



Do not bleach


Tumble dry, low
temperature


Warm iron



Do not dry clean

Wash separately or with similar colours. Close all zippers before washing and wash inside out. Applies only to non refined products. Do not use fabric softener. Think sustainably and wash at 30° C.

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
24	4059904110045	4059904111004	0,56 m	0,35 m	0,23 m	10,42 kg	24
25	4059904110052	4059904111011	0,56 m	0,36 m	0,24 m	10,63 kg	24
26	4059904110069	4059904111028	0,57 m	0,35 m	0,24 m	11,49 kg	24
27	4059904110076	4059904111035	0,57 m	0,35 m	0,26 m	11,15 kg	24
28	4059904110083	4059904111042	0,57 m	0,34 m	0,26 m	11,44 kg	24
29	4059904110090	4059904111059	0,57 m	0,34 m	0,27 m	12 kg	24
42	4059904083257	4059904083264	0,55 m	0,34 m	0,23 m	10,45 kg	20
44	4059904083271	4059904083288	0,56 m	0,36 m	0,22 m	10,69 kg	24
46	4059904083295	4059904083301	0,56 m	0,34 m	0,22 m	10,93 kg	20
48	4059904083318	4059904083325	0,57 m	0,35 m	0,23 m	11,09 kg	20
50	4059904083332	4059904083349	0,56 m	0,35 m	0,24 m	11,59 kg	20
52	4059904083356	4059904083363	0,56 m	0,34 m	0,24 m	11,45 kg	20
54	4059904083370	4059904083387	0,56 m	0,34 m	0,23 m	11,77 kg	40
56	4059904083394	4059904083400	0,56 m	0,34 m	0,25 m	12,02 kg	20
58	4059904083417	4059904083424	0,57 m	0,35 m	0,26 m	12,46 kg	24
60	4059904083431	4059904083448	0,57 m	0,34 m	0,27 m	12,89 kg	10
62	4059904083455	4059904083462	0,55 m	0,34 m	0,26 m	13,09 kg	10
64	4059904083479	4059904083486	0,57 m	0,36 m	0,27 m	13,24 kg	24
66	4059904083493	4059904083509	0,57 m	0,34 m	0,27 m	13,6 kg	24
68	4059904083516	4059904083523	0,57 m	0,35 m	0,27 m	13,73 kg	24
90	4059904110106	4059904111066	0,54 m	0,35 m	0,23 m	10,96 kg	24
94	4059904110113	4059904111073	0,56 m	0,36 m	0,23 m	10,56 kg	24
98	4059904110120	4059904111080	0,56 m	0,35 m	0,24 m	10,87 kg	20
102	4059904110137	4059904111097	0,56 m	0,37 m	0,27 m	11,26 kg	24
106	4059904110144	4059904111103	0,55 m	0,38 m	0,26 m	12,12 kg	24
110	4059904110151	4059904111110	0,56 m	0,35 m	0,27 m	12,02 kg	24

Customs tariff number: 62034311000

Country of origin: India

AS Arbeitsschutz GmbH | Heinrich-Hertz-Str. 11 | 50181 Bedburg | Germany

+49 2272 9060 0

info@nitrassafety.com

www.nitrassafety.com

NITRAS SAFETY

nitrassafety

NITRAS SAFETY PRODUCTS

NITRAS SAFETY

All information provided is correct as of the date indicated. If you have any queries or require up-to-date information, please do not hesitate to contact us at any time. All information without guarantee.