7715 // MOTION TEX PRO FX



Very high wearing comfort (2-way stretch)

Elastic waist with raised back

Covered button for product protection

VERSION 1.3.21 | 261104

7715 // MOTION TEX PRO FX

Shell fabric:	Polyester / cotton / elastane, khaki / black
Lining:	-
Size(s):	24-29, 42-68, 90-110
Packaging unit:	10 piece(s)
Certification:	OEKO-TEX STANDARD 100®

NITRAS MOTION TEX PRO FX, long work trousers, khaki / black (colour code: 5110), 280 g/sqm, breathable material, very high wearing comfort (2-way stretch), elastic waist with raised back, reinforcements on back belt loop and crotch and reinforcements made of CORDURA® on back, knee, leg pockets and ankles, durable triple-stitched seams, covered button for product protection (e.g. scratches), 3M Scotchlite™ Reflective Material for better visibility, versatile and practical equipped: thigh pockets with flaps, ruler pocket, knee pockets for protectors with insertion from above, adjustable hammer loop, D-ring, ID pocket, premium quality, OEKO-TEX STANDARD 100®, Comfort Fit, tool pockets 770P and knee protectors 76K (EN 14404) optionally available

Industries

- Landscape gardening
- Wood processing

Advantages

- \+ Very high wearing comfort (2-way stretch)
- \+ Elastic waist with raised back
- \+ Covered button for product protection



Further images



Colour variants



7715 // MOTION TEX PRO FX
Colour code: 5110



7710 // MOTION TEX PRO FX
Colour code: 1000



7711 // MOTION TEX PRO FX
Colour code: 2010



7712 // MOTION TEX PRO FX
Colour code: 1210

Additional information

	Material	Colour	Grammage
Shell fabric	65% Polyester 33% Cotton 2% Elastane	khaki / black	280 g/qm



Machine wash 60°C


Do not bleach


Tumble dry, low temperature


Warm iron


Do not dry clean

Wash separately or with similar colours. Close all zippers before washing and wash inside out. Applies only to non refined products. Do not use fabric softener. Think sustainably and wash at 30° C.

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
24	4059904110168	4059904111127	0,56 m	0,35 m	0,23 m	10,42 kg	24
25	4059904110175	4059904111134	0,56 m	0,36 m	0,24 m	10,63 kg	24
26	4059904110182	4059904111141	0,57 m	0,35 m	0,24 m	11,49 kg	24
27	4059904110199	4059904111158	0,57 m	0,35 m	0,26 m	11,15 kg	24
28	4059904110205	4059904111165	0,57 m	0,34 m	0,26 m	11,44 kg	24
29	4059904110212	4059904111172	0,57 m	0,34 m	0,27 m	12 kg	24
42	4059904083530	4059904083547	0,55 m	0,34 m	0,23 m	10,45 kg	40
44	4059904083554	4059904083561	0,56 m	0,36 m	0,22 m	10,69 kg	24
46	4059904083578	4059904083585	0,56 m	0,34 m	0,22 m	10,93 kg	24
48	4059904083592	4059904083608	0,57 m	0,35 m	0,23 m	11,09 kg	24
50	4059904083615	4059904083622	0,56 m	0,35 m	0,24 m	11,59 kg	20
52	4059904083639	4059904083646	0,56 m	0,34 m	0,24 m	11,45 kg	20
54	4059904083653	4059904083660	0,56 m	0,34 m	0,23 m	11,77 kg	24
56	4059904083677	4059904083684	0,56 m	0,34 m	0,25 m	12,02 kg	20
58	4059904083691	4059904083707	0,57 m	0,35 m	0,26 m	12,46 kg	20
60	4059904083714	4059904083721	0,57 m	0,34 m	0,27 m	12,89 kg	24
62	4059904083738	4059904083745	0,55 m	0,34 m	0,26 m	13,09 kg	20
64	4059904083752	4059904083769	0,57 m	0,36 m	0,27 m	13,24 kg	24
66	4059904083776	4059904083783	0,57 m	0,34 m	0,27 m	13,6 kg	24
68	4059904083790	4059904083806	0,57 m	0,35 m	0,27 m	13,73 kg	24
90	4059904110229	4059904111189	0,54 m	0,35 m	0,23 m	10,96 kg	24
94	4059904110236	4059904111196	0,56 m	0,36 m	0,23 m	10,56 kg	24
98	4059904110243	4059904111202	0,56 m	0,35 m	0,24 m	10,87 kg	40
102	4059904110250	4059904111219	0,56 m	0,37 m	0,27 m	11,26 kg	24
106	4059904110267	4059904111226	0,55 m	0,38 m	0,26 m	12,12 kg	24
110	4059904110274	4059904111233	0,56 m	0,35 m	0,27 m	12,02 kg	24

Customs tariff number: 62034311000
Country of origin: India

AS Arbeitsschutz GmbH | Heinrich-Hertz-Str. 11 | 50181 Bedburg | Germany

+49 2272 9060 0 | info@nitras-safety.com | www.nitras-safety.com

NITRAS SAFETY | nitras_safety | NITRAS SAFETY PRODUCTS | NITRAS SAFETY

All information provided is correct as of the date indicated. If you have any queries or require up-to-date information, please do not hesitate to contact us at any time. All information without guarantee.

VERSION 1.3.21 | 261104