

7722 // MOTION TEX PRO FX

Trousers



Durable triple-stitched seams
Versatile and practical equipped
Durable clips



7722 // MOTION TEX PRO FX



Shell fabric:	Polyester / cotton / elastane, grey / black
Lining:	-
Size(s):	24-29, 42-68, 90-110
Packaging unit:	10 piece(s)
Certification:	OEKO-TEX STANDARD 100®

NITRAS MOTION TEX PRO FX, bib pants, grey / black (colour code: 1210), 280 g/sqm, breathable material, very high wearing comfort (2-way stretch), elastic waist, reinforcements in crotch and reinforcements made of CORDURA® on the leg, knee and back pockets as well as outside bib pocket and ankles, durable triple-stitched seams, 3M Scotchlite™ Reflective Material for better visibility, versatile and practical equipped: thigh pockets with flaps, ruler pocket, bib inside pocket with YKK-zipper and additional outside pockets, knee pockets for protectors with insertion from above, adjustable hammer loop, D-ring, ID pocket, durable clips, elastic straps, premium quality, OEKO-TEX STANDARD 100®, Comfort Fit, tool pockets 770P and knee protectors 76K (EN 14404) optionally available



Industries

-  Craft
-  Building / Construction
-  Automotive manufacturing
-  Cleaning / Facility management
-  Commissioning / shipping

Advantages

- + Durable triple-stitched seams
- + Versatile and practical equipped
- + Durable clips



Further images



Colour variants



7722 // MOTION TEX PRO FX
Colour code: 1210



7720 // MOTION TEX PRO FX
Colour code: 1000



7721 // MOTION TEX PRO FX
Colour code: 2010

Additional information

	Material	Colour	Grammage
Shell fabric	65% Polyester 33% Cotton 2% Elastane	grey / black	280 g/qm



Machine wash 60°C



Do not bleach


Tumble dry, low
temperature


Warm iron



Do not dry clean

Wash separately or with similar colours. Close all zippers before washing and wash inside out. Applies only to non refined products. Do not use fabric softener. Think sustainably and wash at 30° C.

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
24	4059904110526	4059904111486	0,56 m	0,35 m	0,28 m	12,55 kg	20
25	4059904110533	4059904111493	0,56 m	0,35 m	0,29 m	13,73 kg	20
26	4059904110540	4059904111509	0,57 m	0,36 m	0,28 m	13,92 kg	20
27	4059904110557	4059904111516	0,58 m	0,35 m	0,32 m	14,33 kg	20
28	4059904110564	4059904111523	0,55 m	0,35 m	0,32 m	13,62 kg	10
29	4059904110571	4059904111530	0,56 m	0,35 m	0,32 m	14,91 kg	20
42	4059904084377	4059904084384	0,57 m	0,34 m	0,28 m	12,71 kg	20
44	4059904084391	4059904084407	0,56 m	0,35 m	0,29 m	13,11 kg	20
46	4059904084414	4059904084421	0,57 m	0,35 m	0,28 m	13,36 kg	20
48	4059904084438	4059904084445	0,56 m	0,35 m	0,29 m	13,64 kg	40
50	4059904084452	4059904084469	0,57 m	0,36 m	0,29 m	13,86 kg	20
52	4059904084476	4059904084483	0,57 m	0,35 m	0,29 m	14,3 kg	20
54	4059904084490	4059904084506	0,55 m	0,35 m	0,29 m	14,44 kg	24
56	4059904084513	4059904084520	0,57 m	0,36 m	0,29 m	14,83 kg	20
58	4059904084537	4059904084544	0,56 m	0,34 m	0,32 m	15,12 kg	30
60	4059904084551	4059904084568	0,56 m	0,36 m	0,31 m	15,54 kg	24
62	4059904084575	4059904084582	0,56 m	0,34 m	0,31 m	15,7 kg	24
64	4059904084599	4059904084605	0,56 m	0,35 m	0,32 m	16,08 kg	20
66	4059904084612	4059904084629	0,56 m	0,36 m	0,32 m	15,97 kg	20
68	4059904084636	4059904084643	0,57 m	0,35 m	0,32 m	16,58 kg	20
90	4059904110588	4059904111547	0,58 m	0,36 m	0,29 m	13,43 kg	20
94	4059904110595	4059904111554	0,57 m	0,36 m	0,29 m	13,85 kg	20
98	4059904110601	4059904111561	0,56 m	0,36 m	0,29 m	13,2 kg	20
102	4059904110618	4059904111578	0,57 m	0,32 m	0,36 m	14,48 kg	20
106	4059904110625	4059904111585	0,58 m	0,36 m	0,32 m	14,72 kg	20
110	4059904110632	4059904111592	0,58 m	0,35 m	0,33 m	15,2 kg	20

Customs tariff number: 62034331000

Country of origin: India

AS Arbeitsschutz GmbH | Heinrich-Hertz-Str. 11 | 50181 Bedburg | Germany

+49 2272 9060 0

info@nitrassafety.com

www.nitrassafety.com

NITRAS SAFETY

nitrassafety

NITRAS SAFETY PRODUCTS

NITRAS SAFETY

All information provided is correct as of the date indicated. If you have any queries or require up-to-date information, please do not hesitate to contact us at any time. All information without guarantee.