

# 7725 // MOTION TEX PRO FX



Durable triple-stitched seams  
Versatile and practical equipped  
Durable clips



## 7725 // MOTION TEX PRO FX



|                 |                                              |
|-----------------|----------------------------------------------|
| Shell fabric:   | Polyester / cotton / elastane, khaki / black |
| Lining:         | -                                            |
| Size(s):        | 24-29, 42-68, 90-110                         |
| Packaging unit: | 10 piece(s)                                  |
| Certification:  | OEKO-TEX STANDARD 100®                       |

NITRAS MOTION TEX PRO FX, bib pants, khaki / black (colour code: 5110), 280 g/sqm, breathable material, very high wearing comfort (2-way stretch), elastic waist, reinforcements in crotch and reinforcements made of CORDURA® on the leg, knee and back pockets as well as outside bib pocket and ankles, durable triple-stitched seams, 3M Scotchlite™ Reflective Material for better visibility, versatile and practical equipped: thigh pockets with flaps, ruler pocket, bib inside pocket with YKK-zipper and additional outside pockets, knee pockets for protectors with insertion from above, adjustable hammer loop, D-ring, ID pocket, durable clips, elastic straps, premium quality, OEKO-TEX STANDARD 100®, Comfort Fit, tool pockets 770P and knee protectors 76K (EN 14404) optionally available



### Industries



Landscape gardening



Wood processing

### Advantages

- + Durable triple-stitched seams
- + Versatile and practical equipped
- + Durable clips



Further images

---



Colour variants

---



**7725 // MOTION TEX PRO FX**  
Colour code: 5110



**7720 // MOTION TEX PRO FX**  
Colour code: 1000



**7721 // MOTION TEX PRO FX**  
Colour code: 2010



**7722 // MOTION TEX PRO FX**  
Colour code: 1210

## Additional information

|              | Material                                   | Colour        | Grammage |
|--------------|--------------------------------------------|---------------|----------|
| Shell fabric | 65% Polyester<br>33% Cotton<br>2% Elastane | khaki / black | 280 g/qm |



Machine wash 60°C



Do not bleach


Tumble dry, low  
temperature


Warm iron



Do not dry clean

Wash separately or with similar colours. Close all zippers before washing and wash inside out. Applies only to non refined products. Do not use fabric softener. Think sustainably and wash at 30° C.

## Logistics data

| Size | GTIN (SPU)    | GTIN (PU)     | Length (m) | Width (m) | Height (m) | Weight (kg) | Quantity PU / pallet |
|------|---------------|---------------|------------|-----------|------------|-------------|----------------------|
| 24   | 4059904110649 | 4059904111608 | 0,56 m     | 0,35 m    | 0,28 m     | 12,55 kg    | 24                   |
| 25   | 4059904110656 | 4059904111615 | 0,56 m     | 0,35 m    | 0,29 m     | 13,73 kg    | 24                   |
| 26   | 4059904110663 | 4059904111622 | 0,57 m     | 0,36 m    | 0,28 m     | 13,92 kg    | 24                   |
| 27   | 4059904110670 | 4059904111639 | 0,58 m     | 0,35 m    | 0,32 m     | 14,33 kg    | 24                   |
| 28   | 4059904110687 | 4059904111646 | 0,55 m     | 0,35 m    | 0,32 m     | 13,62 kg    | 24                   |
| 29   | 4059904110694 | 4059904111653 | 0,56 m     | 0,35 m    | 0,32 m     | 14,91 kg    | 24                   |
| 42   | 4059904084650 | 4059904084667 | 0,57 m     | 0,34 m    | 0,28 m     | 12,71 kg    | 24                   |
| 44   | 4059904084674 | 4059904084681 | 0,56 m     | 0,35 m    | 0,29 m     | 13,11 kg    | 24                   |
| 46   | 4059904084698 | 4059904084704 | 0,57 m     | 0,35 m    | 0,28 m     | 13,36 kg    | 30                   |
| 48   | 4059904084711 | 4059904084728 | 0,56 m     | 0,35 m    | 0,29 m     | 13,64 kg    | 20                   |
| 50   | 4059904084735 | 4059904084742 | 0,57 m     | 0,36 m    | 0,29 m     | 13,86 kg    | 20                   |
| 52   | 4059904084759 | 4059904084766 | 0,57 m     | 0,35 m    | 0,29 m     | 14,3 kg     | 12                   |
| 54   | 4059904084773 | 4059904084780 | 0,55 m     | 0,35 m    | 0,29 m     | 14,44 kg    | 10                   |
| 56   | 4059904084797 | 4059904084803 | 0,57 m     | 0,36 m    | 0,29 m     | 14,83 kg    | 20                   |
| 58   | 4059904084810 | 4059904084827 | 0,56 m     | 0,34 m    | 0,32 m     | 15,12 kg    | 10                   |
| 60   | 4059904084834 | 4059904084841 | 0,56 m     | 0,36 m    | 0,31 m     | 15,54 kg    | 30                   |
| 62   | 4059904084858 | 4059904084865 | 0,56 m     | 0,34 m    | 0,31 m     | 15,7 kg     | 24                   |
| 64   | 4059904084872 | 4059904084889 | 0,56 m     | 0,35 m    | 0,32 m     | 16,08 kg    | 20                   |
| 66   | 4059904084896 | 4059904084902 | 0,56 m     | 0,36 m    | 0,32 m     | 15,97 kg    | 20                   |
| 68   | 4059904084919 | 4059904084926 | 0,57 m     | 0,35 m    | 0,32 m     | 16,58 kg    | 24                   |
| 90   | 4059904110700 | 4059904111660 | 0,58 m     | 0,36 m    | 0,29 m     | 13,43 kg    | 24                   |
| 94   | 4059904110717 | 4059904111677 | 0,57 m     | 0,36 m    | 0,29 m     | 13,85 kg    | 24                   |
| 98   | 4059904110724 | 4059904111684 | 0,56 m     | 0,36 m    | 0,29 m     | 13,2 kg     | 24                   |
| 102  | 4059904110731 | 4059904111691 | 0,57 m     | 0,32 m    | 0,36 m     | 14,48 kg    | 24                   |
| 106  | 4059904110748 | 4059904111707 | 0,58 m     | 0,36 m    | 0,32 m     | 14,72 kg    | 24                   |
| 110  | 4059904110755 | 4059904111714 | 0,58 m     | 0,35 m    | 0,33 m     | 15,2 kg     | 24                   |

Customs tariff number: 62034331000

Country of origin: India

AS Arbeitsschutz GmbH | Heinrich-Hertz-Str. 11 | 50181 Bedburg | Germany

+49 2272 9060 0

info@nitrassafety.com

www.nitrassafety.com

NITRAS SAFETY

nitrassafety

NITRAS SAFETY PRODUCTS

NITRAS SAFETY

All information provided is correct as of the date indicated. If you have any queries or require up-to-date information, please do not hesitate to contact us at any time. All information without guarantee.