7725 // MOTION TEX PRO FX



Durable triple-stitched seams
Versatile and practical equipped
Durable clips

VERSION 1.3.23 | 261104

7725 // MOTION TEX PRO FX

Shell fabric:	Polyester / cotton / elastane, khaki / black
Lining:	-
Size(s):	24-29, 42-68, 90-110
Packaging unit:	10 piece(s)
Certification:	OEKO-TEX STANDARD 100®

NITRAS MOTION TEX PRO FX, bib pants, khaki / black (colour code: 5110), 280 g/sqm, breathable material, very high wearing comfort (2-way stretch), elastic waist, reinforcements in crotch and reinforcements made of CORDURA® on the leg, knee and back pockets as well as outside bib pocket and ankles, durable triple-stitched seams, 3M Scotchlite™ Reflective Material for better visibility, versatile and practical equipped: thigh pockets with flaps, ruler pocket, bib inside pocket with YKK-zipper and additional outside pockets, knee pockets for protectors with insertion from above, adjustable hammer loop, D-ring, ID pocket, durable clips, elastic straps, premium quality, OEKO-TEX STANDARD 100®, Comfort Fit, tool pockets 770P and knee protectors 76K (EN 14404) optionally available

COMFORT FIT · QUALITY PREMIUM · OEKO-TEX STANDARD 100 · CORDURA FABRIC · 3M Scotchlite™ Reflective Material · STRETCH · UNISEX

Industries

- Landscape gardening
- Wood processing

Advantages

- \+ Durable triple-stitched seams
- \+ Versatile and practical equipped
- \+ Durable clips



Further images



Colour variants



7725 // MOTION TEX PRO FX
Colour code: 5110



7720 // MOTION TEX PRO FX
Colour code: 1000



7721 // MOTION TEX PRO FX
Colour code: 2010



7722 // MOTION TEX PRO FX
Colour code: 1210

Additional information

	Material	Colour	Grammage
Shell fabric	65% Polyester 33% Cotton 2% Elastane	khaki / black	280 g/qm



Machine wash 60°C


Do not bleach


Tumble dry, low temperature


Warm iron


Do not dry clean

Wash separately or with similar colours. Close all zippers before washing and wash inside out. Applies only to non refined products. Do not use fabric softener. Think sustainably and wash at 30° C.

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
24	4059904110649	4059904111608	0,56 m	0,35 m	0,28 m	12,55 kg	24
25	4059904110656	4059904111615	0,56 m	0,35 m	0,29 m	13,73 kg	24
26	4059904110663	4059904111622	0,57 m	0,36 m	0,28 m	13,92 kg	24
27	4059904110670	4059904111639	0,58 m	0,35 m	0,32 m	14,33 kg	24
28	4059904110687	4059904111646	0,55 m	0,35 m	0,32 m	13,62 kg	24
29	4059904110694	4059904111653	0,56 m	0,35 m	0,32 m	14,91 kg	24
42	4059904084650	4059904084667	0,57 m	0,34 m	0,28 m	12,71 kg	24
44	4059904084674	4059904084681	0,56 m	0,35 m	0,29 m	13,11 kg	24
46	4059904084698	4059904084704	0,57 m	0,35 m	0,28 m	13,36 kg	30
48	4059904084711	4059904084728	0,56 m	0,35 m	0,29 m	13,64 kg	20
50	4059904084735	4059904084742	0,57 m	0,36 m	0,29 m	13,86 kg	20
52	4059904084759	4059904084766	0,57 m	0,35 m	0,29 m	14,3 kg	12
54	4059904084773	4059904084780	0,55 m	0,35 m	0,29 m	14,44 kg	10
56	4059904084797	4059904084803	0,57 m	0,36 m	0,29 m	14,83 kg	20
58	4059904084810	4059904084827	0,56 m	0,34 m	0,32 m	15,12 kg	10
60	4059904084834	4059904084841	0,56 m	0,36 m	0,31 m	15,54 kg	30
62	4059904084858	4059904084865	0,56 m	0,34 m	0,31 m	15,7 kg	24
64	4059904084872	4059904084889	0,56 m	0,35 m	0,32 m	16,08 kg	20
66	4059904084896	4059904084902	0,56 m	0,36 m	0,32 m	15,97 kg	20
68	4059904084919	4059904084926	0,57 m	0,35 m	0,32 m	16,58 kg	24
90	4059904110700	4059904111660	0,58 m	0,36 m	0,29 m	13,43 kg	24
94	4059904110717	4059904111677	0,57 m	0,36 m	0,29 m	13,85 kg	24
98	4059904110724	4059904111684	0,56 m	0,36 m	0,29 m	13,2 kg	24
102	4059904110731	4059904111691	0,57 m	0,32 m	0,36 m	14,48 kg	24
106	4059904110748	4059904111707	0,58 m	0,36 m	0,32 m	14,72 kg	24
110	4059904110755	4059904111714	0,58 m	0,35 m	0,33 m	15,2 kg	24

Customs tariff number: 62034331000
Country of origin: India

AS Arbeitsschutz GmbH | Heinrich-Hertz-Str. 11 | 50181 Bedburg | Germany

+49 2272 9060 0 | info@nitras-safety.com | www.nitras-safety.com

NITRAS SAFETY | nitras_safety | NITRAS SAFETY PRODUCTS | NITRAS SAFETY

All information provided is correct as of the date indicated. If you have any queries or require up-to-date information, please do not hesitate to contact us at any time. All information without guarantee.

VERSION 1.3.23 | 261104