7730 // MOTION TEX PRO FX

Trousers



Very high wearing comfort (4-way stretch)
Covered button for product protection
Segmented reflective elements for better visibility

VERSION 1.0.11 | 261024

7730 // MOTION TEX PRO FX

Shell fabric:	Nylon / elastane, black
Lining:	-
Size(s):	42-68
Packaging unit:	10 piece(s)
Certification:	OEKO-TEX STANDARD 100®

NITRAS MOTION TEX PRO FX, long work trousers, black (colour code: 1000), 245 g/sqm, breathable material, very high wearing comfort (4-way stretch), elastic waist with raised back and a non-slip insert, reinforcement on back belt loop, durable triple-stitched seams, covered button for product protection (e.g. scratches), segmented reflective elements for better visibility, adjustable leg length, YKK zipper, versatile and practical equipped: thigh pockets, ruler pocket with additional pocket, knee pockets for protectors with insertion from below, premium quality, OEKO-TEX STANDARD 100®, Regular Fit

REGULAR FIT · QUALITY PREMIUM · OEKO-TEX STANDARD 100 · UNISEX · STRETCH

Industries

- Craft
- Building / Construction
- Automotive manufacturing
- Commissioning / shipping
- Security industry
- Events

Advantages

- \+ Very high wearing comfort (4-way stretch)
- \+ Covered button for product protection
- \+ Segmented reflective elements for better visibility



Further images



Additional information

	Material	Colour	Grammage
Shell fabric	92% Polyamide 8% Elastane	black	245 g/qm



Machine wash 40°C


Do not bleach


Do not tumble dry


Do not iron


Do not dry clean

Wash separately or with similar colours. Close all zippers before washing and wash inside out. Applies only to non refined products. Do not use fabric softener. Think sustainably and wash at 30° C.

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
42	4059904223424	4059904223561	0,55 m	0,34 m	0,23 m	10,45 kg	24
44	4059904223431	4059904223578	0,55 m	0,34 m	0,23 m	10,45 kg	24
46	4059904223448	4059904223585	0,56 m	0,34 m	0,22 m	10,93 kg	24
48	4059904223455	4059904223592	0,35 m	0,57 m	0,23 m	11,09 kg	24
50	4059904223462	4059904223608	0,57 m	0,35 m	0,26 m	12,46 kg	20
52	4059904223479	4059904223615	0,56 m	0,34 m	0,24 m	11,45 kg	20
54	4059904223486	4059904223622	0,56 m	0,34 m	0,23 m	11,77 kg	24
56	4059904223493	4059904223639	0,56 m	0,34 m	0,25 m	12,02 kg	20
58	4059904223509	4059904223646	0,57 m	0,34 m	0,27 m	12,89 kg	16
60	4059904223516	4059904223653	0,55 m	0,34 m	0,26 m	13,09 kg	24
62	4059904223523	4059904223660	0,57 m	0,36 m	0,27 m	13,24 kg	24
64	4059904223530	4059904223677	0,57 m	0,34 m	0,27 m	13,6 kg	24
66	4059904223547	4059904223684	0,57 m	0,35 m	0,27 m	13,73 kg	20
68	4059904223554	4059904223691	0,56 m	0,35 m	0,24 m	11,59 kg	24

Customs tariff number: 62034311000
Country of origin: China

AS Arbeitsschutz GmbH | Heinrich-Hertz-Str. 11 | 50181 Bedburg | Germany

+49 2272 9060 0 | info@nitras-safety.com | www.nitras-safety.com

NITRAS SAFETY | nitras_safety | NITRAS SAFETY PRODUCTS | NITRAS SAFETY

All information provided is correct as of the date indicated. If you have any queries or require up-to-date information, please do not hesitate to contact us at any time. All information without guarantee.