7750 // MOTION TEX PRO FX

Jackets



Extended back

Soft fleece stand-up collar

Chin protection and wind stopper inside

VERSION 1.2.21 | 261104

7750 // MOTION TEX PRO FX

Shell fabric:	Polyester / cotton / elastane, black
Lining:	-
Size(s):	42-68
Packaging unit:	10 piece(s)
Certification:	OEKO-TEX STANDARD 100®

NITRAS MOTION TEX PRO FX, work jacket, black (colour code: 1000), 280 g/sqm, breathable material, very high wearing comfort (2-way stretch), adjustable cuffs with hook and loop fastener, extended back, pleasantly soft fleece stand-up collar, reinforcements on pockets and sleeves as well as shoulders and reinforcements made of CORDURA® on elbows and back, durable triple-stitched seams, continuous front YKK-zipper with chin protection and wind stopper inside, 3M Scotchlite™ Reflective Material for better visibility, versatile and practical equipped: two chest pockets with flaps, side pockets, tablet, inside and Napoleon pocket, sleeve pocket with pen loops, premium quality, OEKO-TEX STANDARD 100®, Comfort Fit

Industries

- Craft
- Building / Construction
- Automotive manufacturing
- Commissioning / shipping
- Security industry
- Events

Advantages

- \+ Extended back
- \+ Soft fleece stand-up collar
- \+ Chin protection and wind stopper inside



Further images



Colour variants



7750 // MOTION TEX PRO FX
Colour code: 1000



7751 // MOTION TEX PRO FX
Colour code: 2010



7752 // MOTION TEX PRO FX
Colour code: 1210

Additional information

	Material	Colour	Grammage
Shell fabric	65% Polyester 33% Cotton 2% Elastane	black	280 g/qm
Lining (collar)	100% Polyester	black	



Machine wash 60°C


Do not bleach


Tumble dry, low temperature


Warm iron


Do not dry clean

Wash separately or with similar colours. Close all zippers before washing and wash inside out. Applies only to non refined products. Do not use fabric softener. Think sustainably and wash at 30° C.

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
42	4059904084933	4059904084940	0,56 m	0,35 m	0,3 m	10,61 kg	30
44	4059904084957	4059904084964	0,6 m	0,35 m	0,31 m	10,98 kg	30
46	4059904084971	4059904084988	0,56 m	0,35 m	0,3 m	11,19 kg	30
48	4059904084995	4059904085008	0,57 m	0,35 m	0,31 m	11,43 kg	20
50	4059904085015	4059904085022	0,56 m	0,35 m	0,31 m	11,86 kg	20
52	4059904085039	4059904085046	0,56 m	0,34 m	0,3 m	11,83 kg	20
54	4059904085053	4059904085060	0,55 m	0,34 m	0,3 m	12,18 kg	20
56	4059904085077	4059904085084	0,56 m	0,34 m	0,3 m	12,4 kg	20
58	4059904085091	4059904085107	0,57 m	0,35 m	0,31 m	13,65 kg	30
60	4059904085114	4059904085121	0,57 m	0,35 m	0,32 m	13,07 kg	30
62	4059904085138	4059904085145	0,55 m	0,35 m	0,34 m	13,34 kg	30
64	4059904085152	4059904085169	0,55 m	0,35 m	0,34 m	13,56 kg	30
66	4059904085176	4059904085183	0,56 m	0,35 m	0,34 m	13,87 kg	30
68	4059904085190	4059904085206	0,55 m	0,35 m	0,34 m	13,85 kg	20

Customs tariff number: 62033310000
Country of origin: India

AS Arbeitsschutz GmbH | Heinrich-Hertz-Str. 11 | 50181 Bedburg | Germany

+49 2272 9060 0 | info@nitras-safety.com | www.nitras-safety.com

NITRAS SAFETY | nitras_safety | NITRAS SAFETY PRODUCTS | NITRAS SAFETY

All information provided is correct as of the date indicated. If you have any queries or require up-to-date information, please do not hesitate to contact us at any time. All information without guarantee.