8705 // SKIN FLEX LITE+

Assembly gloves
PPE risk category II



High mechanical resistance
Protection against contact heat (100° C, 15 seconds)
OEKO-TEX STANDARD 100®

15 GAUGE

VERSION 1.0.13 | 261120

8705 // SKIN FLEX LITE+

Material:	Nylon, grey
Coating:	Nitrile foam with nitrile dots, black
Size(s):	6-12
Packaging unit:	144 pair(s)
Certification:	EN 388, EN 407, OEKO-TEX STANDARD 100®

NITRAS SKIN FLEX LITE+, assembly gloves, grey, nitrile foam coating with nitrile dots, black (colour code: 1210), partly coated on palm and fingertips, dark colours, long service life, high mechanical resistance, very breathable, knitted cuff, perfect dexterity, unique wearing comfort and protection for the user, touchscreen-compatible, protection against contact heat (100°C, 15 seconds), for food contact, OEKO-TEX STANDARD 100®, particularly sensitive, perfect for working with small parts, very non-slip, perfect grip, very abrasion-resistant, PPE risk category II

EN 388 4121A | EN 407 X1XXXX | EN ISO 21420

15 GAUGE | NI

Size	6	7	8	9	10	11	12
Colour coding system							

Industries

- Craft
- Building / Construction
- Automotive manufacturing
- Commissioning / shipping
- Landscape gardening

Advantages

+ High mechanical resistance
+ Protection against contact heat (100° C, 15 seconds)
+ OEKO-TEX STANDARD 100®



VERSION 1.0 | 31.12.2020

Performance values

EN ISO 21420:2020 + A1:2024	Test parameter	Performance levels	Test result
	Dexterity	1-5	5

EN 388:2016 + A1:2018	Test parameter	Performance levels	Test result
 4121A	Abrasion resistance	1-4	4
	Blade cut resistance (Coupe test)	1-5	1
	Tear resistance	1-4	2
	Puncture resistance	1-4	1
	Blade cut resistance (TDM)	A-F	A

EN 407:2020	Test parameter	Performance levels	Test result
 X1XXXX	Resistance to flammability	1-4	X
	Contact heat resistance	1-4	1
	Convective heat resistance	1-4	X
	Radiant heat resistance	1-4	X
	Resistance to small splashes of molten metal	1-4	X
	Resistance to large quantities of molten metal	1-4	X

Additional information

	Material	Colour
Palm	Nitrile foam on nylon	black
Index finger and thumb	Nitrile foam on nylon	black
Back of the hand	Nylon	grey
Fingertips	Nitrile foam on nylon	black
Cuff / knitted wrist	Nylon	grey

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
6	4059904229754	4059904229747	0,46 m	0,37 m	0,24 m	8,5 kg	36
7	4059904229778	4059904229761	0,46 m	0,37 m	0,24 m	8,5 kg	36
8	4059904229792	4059904229785	0,46 m	0,37 m	0,24 m	8,5 kg	36
9	4059904229815	4059904229808	0,46 m	0,37 m	0,24 m	8,5 kg	36
10	4059904229839	4059904229822	0,46 m	0,37 m	0,24 m	8,5 kg	36
11	4059904229853	4059904229846	0,46 m	0,37 m	0,24 m	8,5 kg	36
12	4059904229877	4059904229860	0,46 m	0,37 m	0,24 m	8,5 kg	36

Customs tariff number: 61161020910
Country of origin: China

AS Arbeitsschutz GmbH | Heinrich-Hertz-Str. 11 | 50181 Bedburg | Germany

+49 2272 9060 0 info@nitras-safety.com www.nitras-safety.com

NITRAS SAFETY nitras_safety NITRAS SAFETY PRODUCTS NITRAS SAFETY

All information provided is correct as of the date indicated. If you have any queries or require up-to-date information, please do not hesitate to contact us at any time. All information without guarantee.