

8710 // SKIN FLEX V

Assembly gloves

PPE risk category II



Very slip resistant
High abrasion resistance
OEKO-TEX STANDARD 100®

15
GAUGE




8710 // SKIN FLEX V



Material:	Nylon, grey
Coating:	Nitrile coating, black
Size(s):	7-11
Packaging unit:	144 pair(s)
Certification:	EN 388, EN 407, OEKO-TEX STANDARD 100®

NITRAS SKIN FLEX V, assembly gloves, grey, nitrile coating, black (colour code: 1012), 3/4-coated, knitted wrist, perfect wearing comfort, perfect dexterity, protection against contact heat (100° C, 15 seconds), premium quality, touchscreen capable, OEKO-TEX STANDARD 100®, particularly sensitive, perfect for working with small parts, very slip resistant, perfect grip, high abrasion resistance, PPE risk category II



Size	7	8	9	10	11
Colour coding system					

Industries

-  Craft
-  Building / Construction
-  Automotive manufacturing
-  Commissioning / shipping
-  Landscape gardening

Advantages

- + Very slip resistant
- + High abrasion resistance
- + OEKO-TEX STANDARD 100®



Performance values

EN 388:2016 + A1:2018	Test parameter	Performance levels	Test result
 4131X	Abrasion resistance	1-4	4
	Blade cut resistance (Coupe test)	1-5	1
	Tear resistance	1-4	3
	Puncture resistance	1-4	1
	Blade cut resistance (TDM)	A-F	X
EN 407:2020	Test parameter	Performance levels	Test result
 X1XXXX	Resistance to flammability	1-4	X
	Contact heat resistance	1-4	1
	Convective heat resistance	1-4	X
	Radiant heat resistance	1-4	X
	Resistance to small splashes of molten metal	1-4	X
	Resistance to large quantities of molten metal	1-4	X
EN ISO 21420:2020	Test parameter	Performance levels	Test result
	Dexterity	1-5	5

Additional information

	Material	Colour
Palm	Special coating on special stretch fabric	black
Index finger and thumb	Special coating on special stretch fabric	black
Back of the hand	Special stretch fabric	grey
Fingertips	Special coating on special stretch fabric	black
Cuff / knitted wrist	Special stretch fabric	grey

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
7	4059904032842	4059904001268	0,5 m	0,48 m	0,34 m	7,73 kg	28
8	4059904032859	4059904001275	0,5 m	0,35 m	0,26 m	8,41 kg	28
9	4059904032866	4059904001282	0,52 m	0,38 m	0,29 m	9,07 kg	28
10	4059904032873	4059904001299	0,53 m	0,39 m	0,3 m	10,35 kg	28
11	4059904032880	4059904001305	0,54 m	0,39 m	0,29 m	10,54 kg	28

Customs tariff number: 61161020910

Country of origin: China