

8800 // FLEXIBLE FIT

Assembly gloves
PPE risk category II



Particularly sensitive
Perfect grip
High abrasion resistance (up to 20,000 abrasion cycles)



8800 // FLEXIBLE FIT










Material:	Nylon, grey
Coating:	Nitrile coating, black
Size(s):	6-12
Packaging unit:	144 pair(s)
Certification:	EN 388, EN 407, OEKO-TEX STANDARD 100®

NITRAS FLEXIBLE FIT, assembly gloves, grey, nitrile coating, black (colour code: 1210), partly coated on palm and fingertips, knitted wrist, perfect wearing comfort, perfect dexterity, perfect and innovative fit thanks 3D FIT, unique comfort and protection for the user, touchscreen capable, for food contact, protection against contact heat (100° C, 15 seconds), premium quality, OEKO-TEX STANDARD 100®, particularly sensitive, perfect for working with small parts, very slip resistant, perfect grip, high abrasion resistance (up to 20,000 abrasion cycles), PPE risk category II








EN ISO 21420



Size	6	7	8	9	10	11	12
Colour coding system							

Industries



-  Craft
-  Building / Construction
-  Automotive manufacturing
-  Commissioning / shipping
-  Landscape gardening

Advantages

- + Particularly sensitive
- + Perfect grip
- + High abrasion resistance (up to 20,000 abrasion cycles)



Performance values

EN 388:2016 + A1:2018	Test parameter	Performance levels	Test result
 4121X	Abrasion resistance	1-4	4
	Blade cut resistance (Coupe test)	1-5	1
	Tear resistance	1-4	2
	Puncture resistance	1-4	1
	Blade cut resistance (TDM)	A-F	X
EN 407:2020	Test parameter	Performance levels	Test result
 X1XXXX	Resistance to flammability	1-4	X
	Contact heat resistance	1-4	1
	Convective heat resistance	1-4	X
	Radiant heat resistance	1-4	X
	Resistance to small splashes of molten metal	1-4	X
	Resistance to large quantities of molten metal	1-4	X
EN ISO 21420:2020	Test parameter	Performance levels	Test result
	Dexterity	1-5	5

Additional information

	Material	Colour
Palm	Special coating on special stretch fabric	black
Index finger and thumb	Special coating on special stretch fabric	black
Back of the hand	Special stretch fabric	grey
Fingertips	Special coating on special stretch fabric	black
Cuff / knitted wrist	Special stretch fabric	grey

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
6	4059904107779	4059904107786	0,49 m	0,28 m	0,35 m	6,73 kg	28
7	4059904105102	4059904105119	0,48 m	0,28 m	0,35 m	6,73 kg	28
8	4059904105126	4059904105133	0,49 m	0,27 m	0,35 m	7,76 kg	28
9	4059904105140	4059904105157	0,51 m	0,3 m	0,38 m	7,47 kg	28
10	4059904105164	4059904105171	0,51 m	0,3 m	0,38 m	8,1 kg	28
11	4059904105188	4059904105195	0,52 m	0,3 m	0,38 m	8,49 kg	28
12	4059904130937	4059904130920	0,52 m	0,43 m	0,3 m	9,02 kg	28

Customs tariff number: 61161020910

Country of origin: China