8800 // FLEXIBLE FIT 3D

Assembly gloves
PPE risk category II



Particularly sensitive
Perfect grip
High abrasion resistance (up to 20,000 abrasion cycles)

15 GAUGE

VERSION 1.2.41 | 261104

8800 // FLEXIBLE FIT 3D

Material:	Nylon, grey
Coating:	Nitrile foam, black
Size(s):	6-12
Packaging unit:	144 pair(s)
Certification:	EN 388, EN 407, OEKO-TEX STANDARD 100®

NITRAS FLEXIBLE FIT 3D, assembly gloves, grey, nitrile foam coating, black (colour code: 1210), partly coated on palm and fingertips, knitted wrist, perfect wearing comfort, perfect dexterity, perfect and innovative fit thanks 3D FIT, unique comfort and protection for the user, touchscreen capable, for food contact, protection against contact heat (100° C, 15 seconds), premium quality, OEKO-TEX STANDARD 100®, particularly sensitive, perfect for working with small parts, very slip resistant, perfect grip, high abrasion resistance (up to 20,000 abrasion cycles), PPE risk category II

EN 388 4121X

EN 407 X1XXXX

EN ISO 21420

15 GAUGE | PREMIUM QUALITY | OEKO-TEX STANDARD 100 | NI | 3D FIT

Size	6	7	8	9	10	11	12
Colour coding system							

Industries

- Craft
- Building / Construction
- Automotive manufacturing
- Commissioning / shipping
- Landscape gardening

Advantages

- \+ Particularly sensitive
- \+ Perfect grip
- \+ High abrasion resistance (up to 20,000 abrasion cycles)



Performance values

EN ISO 21420:2020	Test parameter	Performance levels	Test result
	Dexterity	1-5	5

EN 388:2016 + A1:2018	Test parameter	Performance levels	Test result
 4121X	Abrasion resistance	1-4	4
	Blade cut resistance (Coupe test)	1-5	1
	Tear resistance	1-4	2
	Puncture resistance	1-4	1
	Blade cut resistance (TDM)	A-F	X

EN 407:2020	Test parameter	Performance levels	Test result
 X1XXXX	Resistance to flammability	1-4	X
	Contact heat resistance	1-4	1
	Convective heat resistance	1-4	X
	Radiant heat resistance	1-4	X
	Resistance to small splashes of molten metal	1-4	X
	Resistance to large quantities of molten metal	1-4	X

Additional information

	Material	Colour
Palm	Nitrile foam on special stretch fabric	black
Index finger and thumb	Nitrile foam on special stretch fabric	black
Back of the hand	Special stretch fabric	grey
Fingertips	Nitrile foam on special stretch fabric	black
Cuff / knitted wrist	Special stretch fabric	grey

Logistics data

Size	GTIN (SPU)	GTIN (PU)	Length (m)	Width (m)	Height (m)	Weight (kg)	Quantity PU / pallet
6	4059904107779	4059904107786	0,49 m	0,28 m	0,35 m	6,73 kg	28
7	4059904105102	4059904105119	0,48 m	0,28 m	0,35 m	6,73 kg	28
8	4059904105126	4059904105133	0,49 m	0,27 m	0,35 m	7,76 kg	28
9	4059904105140	4059904105157	0,51 m	0,3 m	0,38 m	7,47 kg	28
10	4059904105164	4059904105171	0,51 m	0,3 m	0,38 m	8,1 kg	28
11	4059904105188	4059904105195	0,52 m	0,3 m	0,38 m	8,49 kg	28
12	4059904130937	4059904130920	0,52 m	0,43 m	0,3 m	9,02 kg	28

Customs tariff number: 61161020910
Country of origin: China

AS Arbeitsschutz GmbH | Heinrich-Hertz-Str. 11 | 50181 Bedburg | Germany

+49 2272 9060 0 info@nitras-safety.com www.nitras-safety.com

NITRAS SAFETY nitras_safety NITRAS SAFETY PRODUCTS NITRAS SAFETY

All information provided is correct as of the date indicated. If you have any queries or require up-to-date information, please do not hesitate to contact us at any time. All information without guarantee.